




Catalogue Mobilier métallique



A VOTRE SERVICE DEPUIS 1995

Taillepie 44 - 1095 Lutry
www.amezeus.com
info@amezeus.com
+41 21 903 57 67

HOME FURNITURE



Steel in the loft-like flat is already a standard. Metal furniture is the interesting complement to modern living.

Comfortable furniture become much easier to work. But not only that counts! Severity areas combined with rustic elements of the nature of the place, that everyone will love. The interior of an industrial office will become one of the most interesting and the most pleasant places in the house. Contrary to appearances, the decoration of such space does not necessarily entail high costs. In such a beautiful and unusual place without fear can be a workaholic ☺.





A kitchen made of stainless steel it is not only the highest standards of hygiene, but also the ability to make many of author's ideas of kitchen arrangements. Stainless steel furniture, without toxic paints, adhesives, is also a safety health and life with allergies. A Flat for such persons can be decorated of our metal furniture, reconciling their health requirements with modern and interesting trends in interior design.





Metal office furniture allows for modern, functional and practical equipment of a workplace. Metal optimally meets the requirements in terms of design, quality, functionality and durability. Comfort, functionality, ergonomics – these are the features of metal office furniture which customers appreciate most.



SBM OFFICE CABINETS WITH WING DOORS

- Office cabinets are of comprehensive use thanks to varied possibilities of their internal equipment: adjustable shelves, rich additional equipment (frame drawers, extended shelves, full drawers, equipped cabinet with a compartment).
- Smoothly adjustable shelves (adjustable shelves at full height).
- Available Cabinet with a wardrobe and filing compartment section with a bar with hooks for clothes as well as four shelves for documents.
- In the cabinets for documents there is a door handle equipped with a lock securing in 2 points (the top and the bottom).
- The cabinets are available in various price levels.



Sbm 204











Sbm 203 Primo







Sbm 103 Primo



TECHNICAL SPECIFICATION

| | | | | | | | | |
|--------------------|---|---|---|---|---|---|---|---|
| |  |  |  |  |  |  |  |  |
| Designation | SBM 101 Primo | SBM 102 Primo | SBM 103 Primo | SBM 107 Primo | SBM 201 Primo | SBM 202 Primo | SBM 203 Primo | SBM 212 Primo |
| Code | SBM 01023203 | SBM 02023303 | SBM 03023303 | SBM 04023303 | SBM 01033204 | SBM 02033304 | SBM 03033304 | SBM 04033304 |
| Height (mm) | 1040 | | | | 1990 | | | |
| Width (mm) | 600 | 800 | 1000 | 1200 | 600 | 800 | 1000 | 1200 |
| Depth (mm) | 435 | | | | | | | |
| Cabinet's capacity | 2 rows of binders | | | | 5 rows of binders | | | |
| Number of shelves | 2 | | | | 4 | | | |

| | | | | | | | | |
|--------------------|---|---|---|---|---------------|---------------|-------------------|---------------|
| |  |  |  |  | | | | |
| Designation | SBM 204 Primo | SBM 213 Primo | SBM 206 Primo | SBM 215 Primo | SBM 403 Primo | SBM 405 Primo | SBM 803 Primo | SBM 804 Primo |
| Code | SBM 03033305 | SBM 04033305 | SBM 03033306 | SBM 04033306 | SBM 03013302 | SBM 04013302 | SBM 03123302 | SBM 04123302 |
| Height (mm) | 1990 | | | | 465 | | | |
| Width (mm) | 1000 | 1200 | 1000 | 1200 | 1000 | 1200 | 1000 | 1200 |
| Depth (mm) | 435 | | | | | | | |
| Cabinet's capacity | 4 rows of binders + locker | | 1 row of binders + 4 in halves | | 2 low rows | | 2 rows of binders | |
| Number of shelves | 3 | | 4 shelves + wardrobe compartment | | 1 | | | |

SBM OFFICE CABINETS WITH SHUTTER DOORS

- The cabinets with shutter doors are both elegant and functional.
- The doors retract into double side walls of the cabinet made of PVC slats with practical snap lock.
 - The cabinet locked with a cylindrical lock.
 - In a wardrobe and filing compartment section with a bar with hooks for clothes as well as four shelves for documents.



Sbm 208 Primo



TECHNICAL SPECIFICATION

| Designation | SBM 105 Primo | SBM 109 Primo | SBM 208 Primo | SBM 217 Primo | SBM 218 Primo | SBM 219 Primo | top cabinet SBM 404 Primo | top cabinet SBM 406 Primo |
|--------------------|-------------------|---------------|-------------------|---------------|----------------------------------|---------------|------------------------------|------------------------------|
| Code | SBMZ 03023503 | SBMZ 04023503 | SBMZ 03033504 | SBMZ 04033504 | SBMZ 03033506 | SBMZ 04033506 | SBMZ 03013502 | SBMZ 04013502 |
| Height (mm) | 1040 | | 1990 | | 1990 | | 465 | |
| Width (mm) | 1000 | 1200 | 1000 | 1200 | 1000 | 1200 | 1000 | 1200 |
| Depth (mm) | 435 | | | | | | | |
| Cabinet's capacity | 2 rows of binders | | 5 rows of binders | | 1 row of binders + 4 in halves | | 2 low rows | |
| Number of shelves | 2 | | 4 | | 4 shelves + wardrobe compartment | | 1 | |

AVAILABLE COLOURS OF SHUTTER DOORS

STANDARD



Grey



Cream



Black



White



Silver



Beech

EXTRA CHARGE

SBM OFFICE CABINETS WITH SLIDING DOORS

Office cabinets with sliding doors do not require any additional space to open, and their aesthetic value and reliability are appreciated by their users.

- The cabinets are equipped in 4 adjustable shelves.
- Cabinets are equipped with a cylindrical lock and a door handle.







SBM OFFICE CABINETS WITH RETRACTABLE DOORS



The office cabinet with retractable doors significantly reduces the spaces needed to open the cabinet.

- The doors slide into sides of the cabinet.
- 2-point locking door handle.



TECHNICAL SPECIFICATION

| | | | | | | |
|--------------------|---|---|---|---|--|---------------|
| |  |  |  |  | | |
| Designation | SBM 112 Primo | SBM 110 Primo | SBM 111 Primo | SBM 222 Primo | SBM 220 Primo | SBM 221 Primo |
| Code | SBMP 03023603 | SBMP 04023603 | SBMP 05023604 | SBMP 03033604 | SBMP 04033604 | SBMP 05033620 |
| Height (mm) | 1040 | | | 1990 | | |
| Width (mm) | 1000 | 1200 | 1400 | 1000 | 1200 | 1400 |
| Depth (mm) | 435 | | | | | |
| Cabinet's capacity | 2 rows of binders | | | 5 rows of binders | | |
| Number of shelves | 2 | 4 (2 shelves on each side of the partition wall) | | 4 | 8 (4 shelves on each side of the partition wall) | |

| | | |
|--------------------|---|---|
| |  |  |
| Designation | SBM 210 Primo | SBM 211 Primo |
| Code | SBMC 03033704 | SBMC 03033705 |
| Height (mm) | 1990 | |
| Width (mm) | 1000 | |
| Depth (mm) | 435 | |
| Cabinet's capacity | 5 rows of binders | 4 rows of binders + storage locker |
| Number of shelves | 4 | 3 |



ADDITIONAL EQUIPMENT TO OFFICE CABINETS

For office cabinets it is often necessary to have additional equipment: shelves, full drawers, frame shelf. Proposed elements will adjust every wardrobe to the individual needs of users.



full shelf



extended shelf



Full extended drawer



Frame extended drawer for hanging files



Leveling feet

RZ CABINETS WITHOUT DOORS

- Cabinets without doors made of steel with 4 adjustable shelves every 25cm.
- The distance between shelves from the center position : 375mm.
- Maximum load capacity of the standard shelf is : 60kg.






TOWER PEDESTALS AND ADDITIONAL EQUIPMENT

Tower pedestals designed to store the most necessary documents and items allow to keep the workplace clean. Low tower pedestal is an extension of a workplace. High tower pedestal separates workplaces providing discretion, noise reduction and better working conditions.



TECHNICAL SPECIFICATION

| | | | | | | | | |
|--------------------|---|--------------|---|--------------|--|--------------|---|--------------|
| |  | |  | |  | |  | |
| Designation | RZ 101 Primo | RZ 102 Primo | RZ 103 Primo | RZ 107 Primo | RZ 201 Primo | RZ 202 Primo | RZ 203 Primo | RZ 212 Primo |
| Code | | | | | | | | |
| Height (mm) | 1040 | | | | 1990 | | | |
| Width (mm) | 600 | 800 | 100 | 1200 | 600 | 800 | 1000 | 1200 |
| Depth (mm) | 435 | | | | | | | |
| Cabinet's capacity | 2 rows of binders | | | | 5 rows of binders | | | |
| Number of shelves | 2 | | | | 4 | | | |





| | | | | | | | | |
|--------------------|---|--------------|---|--------------|--|--------------|---|--------------|
| TOP CABINETS |  | |  | |  | |  | |
| Designation | RZ 801 Primo | RZ 802 Primo | RZ 803 Primo | RZ 804 Primo | RZ 401 Primo | RZ 402 Primo | RZ 403 Primo | RZ 405 Primo |
| Code | | | | | | | | |
| Height (mm) | 810 | | | | 465 | | | |
| Width (mm) | 600 | 800 | 1000 | 1200 | 600 | 800 | 1000 | 1200 |
| Depth (mm) | 435 | | | | | | | |
| Cabinet's capacity | 2 rows of binders | | | | 2 low rows | | | |
| Number of shelves | 1 | | | | | | | |

Mobile pedestals with upholstered seat allow to store important items and to be used as a seat.

Mediaports with possibility of connecting the most important media directly to sockets placed in a table. It is the possibility of any configuration of necessary slots according to needs. The following slots can be used : the power, computer, telephone, USB and others. Mediaport can be equipped with 2-10 media modules.



TECHNICAL SPECIFICATION

| | | | | | | | | |
|-------------|---|--|---|--|---|--|---|--|
| |  | |  | |  | |  | |
| Designation | CB 748 | CB 748 P | CB 1348 | CB 1348 P | Szp 522s | Szp 520s | Szp 532s | Szp 530s |
| Code | CB 0206061700 | CB 0206061706 | CB 0207061805 | CB 0207061806 | MSZ 0103010401 | MSZ 0103010402 | MSZ 0103020401 | MSZ 0103020402 |
| Height (mm) | 750 | | 1320 | | 550 | | | |
| Width (mm) | 438 | | | | 420 | | | |
| Depth (mm) | 800 | | | | 556 | | | |
| Equipment | - metal top and front - 1 shelf - 2 small compartments in the top | - melamine top and front - 1 shelf - 2 small compartments in the top | - metal top and front - 2 shelves - 2 small compartments in the top | - melamine top and front - 2 shelves - 2 small compartments in the top | - seat with magnets - metal front - 1 high drawer - 1 low drawer | - seat with magnets - melamine front - 1 high drawer - 1 low drawer | - seat with magnets - metal front - 3 low drawers | - seat with magnets - melamine front - 3 low drawers |

SZK FILING CABINETS

- Filing cabinets are made of steel sheet with a base made of zinc galvanized steel sheet.
- Drawers are installed on double extension ball bearing slides, protected against falling out.
- Cabinets have a special mechanism that allows for opening of only one of the drawers at a time which protects the cabinet against tipping. Drawers are equipped with a central locking mechanism.
- Maximum load capacity of each drawer is 60kg.
- There are self-adhesive cardholders available in relation to the number of drawers.
- Available cabinet in the depth of 435mm (the depth is adjusted to the depth of office cabinets).
- Cabinets are available in various price versions.
- Cabinets are equipped with the shims for leveling.











Skb 210









Skb 310



TECHNICAL SPECIFICATION

| | | | | | | | | |
|--|---|---|---|---|---|--|---|---|
| |  |  |  |  |  |  |  |  |
| Designation | Szk 101 | Szk 201 | Szk 301 | Szk 102 | Szk 202 | Szk 302 | Szk 305 | Szk 304 |
| Code | SZK 01010101 | SZK 01020201 | SZK 01030301 | SZK 02010801 | SZK 02020901 | SZK 02031001 | SZK 02031302 | SZK 03031102 |
| Height (mm) | 715 | 1000 | 1285 | 715 | 1000 | 1285 | | |
| Width (mm) | 415 | | | 775 | | | | 545 |
| Depth (mm) | 630 | | | | | | | |
| Quantity of drawers | 2 | 3 | 4 | 2 | 3 | 4 | 5 | |
| Quantity of rows in the drawer | 1 | | | 2 | | | 4 | 2 |
| Internal dimensions of the drawer (mm) | height x width x depth 244 (front 280) x 330 x 585 | | | height x width x depth 244 (front 280) x 690 x 585 | | | height x width x depth 100 (front 223) x 690 x 585 | height x width x depth 187 (front 223) x 460 x 585 |
| Size | A4 | | | | | | A5 vertical | A5 horizontal |

| | | | | | | |
|--|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Designation | Szk 318 | Szk 103 | Szk 203 | Szk 303 | Skb 210 | Skb 310 |
| Code | SZK 09032102 | SZK 02011402 | SZK 02021502 | SZK 02031602 | SKB 101020200525 | SKB 0101020100515 |
| Height (mm) | 1285 | 715 | 1000 | 1285 | 940 | 1225 |
| Width (mm) | 610 | 775 | | | 1000 | |
| Depth (mm) | 630 | | | | 435 | |
| Quantity of drawers | 5 | 4 | 6 | 8 | | |
| Quantity of rows in the drawer | 2 | 4 | | | | |
| Internal dimensions of the drawer (mm) | height x width x depth 150 (front 223) x 522 x 585 | height x width x depth 100 (front 137) x 690 x 585 | | | 244 (front 280) x 918 x 330 | |
| Size | B5 horizontal | A6 | | | | |

SRM DRAWING CABINETS

Cabinets for drawings, maps, printing plates and technical documentation that ensure safe, practical and organized storage of these materials. Cabinets are designed for A0/A1 sizes.

- For individual requirements of our customers we are able to divide drawers with additional partitions, into various sizes – from A4 – to A1.
- Maximum load capacity of each drawer is 60kg.
- Drawers are installed on full extension ball bearing slides protected against falling out.
- Central cylinder lock secures all drawers.
- The cabinets can be placed directly on the floor or on the socles.



Optional : drawers' partitions

STB COMFORT OFFICE DESKS

STB COMFORT office desks allow to arrange an office accordingly to individual needs. Both practical and functional, they ensure working in comfort while retaining cohesive style of office spaces.






A rich choice of dimensions, forms and colours will let you find a perfect solution to every office.

SZP Mobile pedestals and additional equipment such as desks connectors and front covers allow for practical furnishing of workplaces and office spaces.

Comfort, functionality, ergonomics – these are features, for which customers value metal office furniture.




TECHNICAL SPECIFICATION


| |  |  |  |  |  |
|--|---|---|---|--|---|
| Designation | Srm 100 | Srm 101 | Srm 201 | Srm 100 socle | Srm 101, Srm 201 socle |
| Code | SRM 02010102 | SRM 01010102 | SRM 01020102 | CSRM 0201 | CSRM 0101 |
| Height (mm) | 425 | | 770 | 140 | |
| Width (mm) | 1315 | 970 | | 1290 | 945 |
| Depth (mm) | 920 | 670 | | 895 | 645 |
| Internal dimensions of the drawer (mm) | height x width x depth 45 x 1235 x 895 | | height x width x depth 45 x 890 x 630 | | - |
| Quantity of drawers | 5 | 5 | 10 | - | - |
| Size | A0 | A1 | | A0 | A1 |






■ TECHNICAL SPECIFICATION



| Designation | Stb 1060 | Stb 1260 | Stb 1460 | Stb 1660 | Stb 1860 |
|-------------|----------------|----------------|----------------|----------------|----------------|
| Code | MST 0101010101 | MST 0201010101 | MST 0301010101 | MST 0401010101 | MST 0501010101 |
| Height (mm) | 745÷770 | | | | |
| Width (mm) | 1000 | 1200 | 1400 | 1600 | 1800 |
| Depth (mm) | 600 | | | | |



| Designation | Stb 1080 | Stb 1280 | Stb 1480 | Stb 1680 | Stb 1880 |
|-------------|----------------|----------------|----------------|----------------|----------------|
| Code | MST 0601010101 | MST 0701010101 | MST 0801010101 | MST 0901010101 | MST 1001010101 |
| Height (mm) | 745÷770 | | | | |
| Width (mm) | 1000 | 1200 | 1400 | 1600 | 1800 |
| Depth (mm) | 800 | | | | |



| Designation | Half round connector 60 | Half round connector 80 | Quarter round connector 60 | Quarter round connector 80 |
|-------------|-------------------------|-------------------------|----------------------------|----------------------------|
| Code | XMST 02060202 | XMST 02070202 | XMST 03080202 | XMST 03090202 |
| Height (mm) | 745÷770 | | | |
| Width (mm) | 1200 | 1600 | 600 | 800 |
| Depth (mm) | 600 | 800 | 600 | 800 |




| Designation | Front cover 10 | Front cover 12 | Front cover 14 | Front cover 16 | Front cover 18 |
|-------------|----------------|----------------|----------------|----------------|----------------|
| Code | XMST 01010101 | XMST 01020101 | XMST 01030101 | XMST 01040101 | XMST 01050101 |
| Height (mm) | 330 | | | | |
| Width (mm) | 846 | 1046 | 1246 | 1446 | 1646 |





Modern rooms and school classrooms require functional, durable and aesthetic furniture. Such equipment can be found in our offer. To classrooms we recommend the cabinet to storage of tablets and laptops, school desks, cabinets for storage aids. For handy students materials - a popular and practical locker with compartments, to staff rooms – office cabinets for documents. Our cabinets for binders and filing you equip the secretariat and office rooms, the wardrobe lockers – the cloakroom, social lockers – a place of the caretakers and cleaners.



School lockers are made of top quality steel. The bottom of the locker is made of galvanized steel to protect it from corrosion additionally. We use powder coatings from leading global manufacturers. A wide range of standard colours – 16 RAL colours.

SUM S LOCKERS FOR PRE-SCHOOLERS

In our offer we also have 1350 mm high SUM S lockers. Even the youngest children will be able to hang their clothes and reach the shelves without any effort. Cloakrooms in kindergarten equipped with wardrobe lockers enhance kinds' independence. Children who have their own individual lockers more willingly and actively prepare to their classes.





SUM S LOCKERS FOR 6-YEAR-OLDS

For younger pupils we offer lockers height of 1500 mm. In the compartments of the lockers the ventilation holes are made allowing free exchange of air.





- Additional equipment:
- The bar with hooks
 - The shelf for books, notebooks and handheld things.



TECHNICAL SPECIFICATION

| | | | | |
|-----------------|---|---|--|---|
| |  |  |  |  |
| Designation | SumS 310p | SumS 320p | SumS 330p | SumS 340p |
| Code | SUM 1703040112 | SUM 1803040112 | SUM 1903040112 | SUM 2003040112 |
| Height (mm) | 1350 | | | |
| Width (mm) | 300 | 600 | 900 | 1200 |
| Depth (mm) | 500 | | | |
| Number of units | 1 | 2 | 3 | 4 |

TECHNICAL SPECIFICATION

| | | | | |
|-----------------|---|---|---|---|
| |  |  |  |  |
| Designation | SumS 310 | SumS 320 | SumS 330 | SumS 340 |
| Code | SUM 1702020510 | SUM 1802020510 | SUM 1902020510 | SUM 2002020510 |
| Height (mm) | 1500 | | | |
| Width (mm) | 300 | 600 | 900 | 1200 |
| Depth (mm) | 500 | | 500 | |
| Number of units | 1 | 2 | 3 | 4 |

WNT TABLET TROLLEY

Tablet trolley has inbuilt battery charge function and is designed to store and carry 32 tablets and one laptop. It is a perfect solution for schools, libraries, meeting rooms, in other words in every place that safe storage and simultaneous tablet recharge is needed.

WNT tablet trolley advantages:

- Simultaneous recharge of up to 32 units of such devices as : tablets, smartphones, and one laptop.
- Each USB socket is equipped with LED diode confirming its correctness of the work.
- Both circuit-breaker protection and protection against overload.
- Protection against overheating.
- Implementation of single loading time limiter (up to 5 hours) to safe batteries of currently charging devices and to decrease energy consumption.

*Contact us to know what devices can be charged in our trolleys.










WNL LAPTOP TROLLEY

- The WNL Laptop trolley is meant to store laptops and to provide battery recharge function.
- We have applied a sequencer to provide overload and surge protection, which allow to enable individual terminal blocks after a particular period of time (~3 minutes). That results in maintaining low electrical load of the trolley.
- Flashing diode signals the state of work of particular terminal blocks
- The trolley has one connector plug and overload fuse.
- The trolley is also equipped on both sides with grips, the top is made from melamine, ventilation holes for air circulation and with 4 wheels (2 of them are with a brake).
- Additionally, side edges of the trolley are secured with rubber corners.



LAPTOP LOCKER

Cabinet is used to protect PC units with the simultaneous possibility of recharging the battery during storage. Inside the body, on the side the strip is mounted which contains sockets for connecting chargers, laptops - in every locker.

| | | | | | | | | |
|-------------|---|--------------------|---|---|---|---|---|---|
| |  | |  |  |  |  |  |  |
| Designation | Locker for laptops SZNL 4110 | | WNL 110 | WNL 208 | WNL 210 | WNL 213 | WNL 310 | WNT 33 |
| Code | SZNL 0101010101 | SZNL 0101010104 | WNL 0514060204 | WNL 0615050404 | WNL 0614050404 | WNL 0616050404 | WNL 0714050404 | WNL0917050604 |
| Height (mm) | 1800 | | 1250 | 1060 | 1250 | 1540 | 1250 | 1050 |
| Width (mm) | 400 | | 530 | 920 | | | 1310 | 730 |
| Depth (mm) | | | 500 | | | | | 440 |
| Description | Locker without wiring | Locker with wiring | 1 column 10 sockets (10 laptops) | 2 columns 8 sockets (16 laptops) | 2 columns 20 sockets (20 laptops) | 2 columns 13 sockets (26 laptops) | 3 columns 10 sockets 30 (laptops) | the trolley to storage 32 tablets + 1 laptop |

MOBILE PHONE LOCKER

The locker for storing mobile phones for places where their use is forbidden. Lockers provide a safe storage space for places such as reading rooms, libraries, gyms, schools. Each compartment has its own, independent lock. There is a possibility to mount code or coin locks.

| | | | | | |
|--------------------|--------------|---------------|---------------|---------------|---------------|
| | | | | | |
| Designation | WSS 5 | WSS 10 | WSS 20 | WSS 30 | WSS 35 |
| Code | WSS 06010601 | WSS 01010101 | WSS 02010201 | WSS 03020301 | WSS 07010701 |
| Height (mm) | 780 | | | | |
| Width (mm) | 210 | 390 | 750 | 930 | 1290 |
| Depth (mm) | 200 | | | | |

| | | | | | |
|--------------------|---------------|---------------|---------------|---------------|---------------|
| | | | | | |
| Designation | WSS 50 | WSS 55 | WSS 60 | WSS 80 | WSS 90 |
| Code | WSS 03030801 | WSS 03040901 | WSS 04030401 | WSS 05030501 | WSS 08031001 |
| Height (mm) | 1530 | 1680 | 1530 | | |
| Width (mm) | 930 | | 1110 | 1470 | 1650 |
| Depth (mm) | 200 | | | | |



Metal social furniture guarantee both functionality and aesthetics of the social rooms in factories, schools, gyms, fitness clubs, swimming pools, military rooms, etc. The proper arranging of such rooms, taking into account the most diverse requirements and needs, ensures well-being and raises the standard of workplace learning.



SUM W WARDROBE LOCKERS

- All lockers are manufactured from steel sheet. There is a possibility to produce lockers made of various kind of metal sheets (stainless, galvanized, acid proof).
- Lockers are powder coated.
- We offer lockers in various price versions – depending on the type of the sheet and its thickness.
- Doors have the ventilation holes which allow exchange of the air between the locker and the room.

LOCKERS – SHEET TYPES

- Steel + powder coated
- Galvanized + powder coated = additional protection against corrosion
- Acid-proof = additional protection against corrosion



Sum 420 W



Sum 321







Sum 420 + P 421






Sum 421k



TECHNICAL SPECIFICATION

| | | | | |
|---|---|---|--|---|
| 300mm wide without partition wall |  |  |  |  |
| | Sum 310 W | Sum 320 W | Sum 330 W | Sum 340 W |
| Code | WSU 0101020102 | WSU 0102020102 | WSU 0103020102 | WSU 0104020102 |
| Height (mm) | 1800 | | | |
| Width (mm) | 300 | 600 | 900 | 1200 |
| Depth (mm) | 500 | | | |
| Number of units | 1 | 2 | 3 | 4 |




| | | | |
|--|---|---|---|
| 400 mm wide lockers with an internal partition wall |  |  |  |
| | Sum 410 W | Sum 420 W | Sum 430 W |
| Code | WSU 0201020103 | WSU 0202020103 | WSU 0203020103 |
| Height (mm) | 1800 | | |
| Width (mm) | 400 | 800 | 1200 |
| Depth (mm) | 500 | | |
| Number of units | 1 | 2 | 3 |

SUS W WARDROBE LOCKERS

- Locker with compartments, due to their functionality, diversity and aesthetic appearance can be used in cloakrooms, kindergartens, schools, swimming pools, fitness clubs, railway stations for keeping luggage, in supermarket, at work place for keeping bags and helmets, etc.
- Ventilation slots in the doors allow exchange of air in the locker.
- Locker with compartments are available in various price versions – depending on the steel sheet type and its thickness.




TECHNICAL SPECIFICATION

| | | | |
|-----------------|---|---|---|
| |  |  |  |
| Designation | SUS 322 W | SUS 324 W | SUS 325 W |
| Code | WSU 0107020104 | WSU 0117020101 | WSU 0122020101 |
| Height (mm) | 1800 | | |
| Width (mm) | 600 | | |
| Depth (mm) | 500 | | |
| Number of units | 2 | | |




TYPES OF LOCKS:

- As options Euro-lock type key lock (C) or a padlock for hanging locks can be used (D).
- There is a possibility to order lockers with the MASTER key (one key can open particular number of locks).
- Other available (for an additional charge) locks:
 - water-resistant cylindrical locks (a brass insert and a key)
 - coin locks (E) – with return (F) and without return (G)
 - code locks and others – on customer's request.



ADDITIONAL EQUIPMENT :

- a plastic bar with hokks
- a shelf above the bar
- inner partition (in the column width of 400 mm)
- a mirror
- a hanger
- lockers may have slanted tops that facilitate cleanliness



SUL W WARDROBE LOCKERS

- In order to make use of small spaces such as cloakrooms, made the L-shape wardrobe locker.
- Lockers are manufactured as single or double units. They can be placed on the wardrobe lockers.
- We offer lockers in various price versions, depending on the steel sheet type and its thickness.
- 1-point lock as a standard.





CANTEEN LOCKERS

Canteen lockers to store food and personal items are ideal choice in dining areas, buffets and canteens.








TECHNICAL SPECIFICATION

| | | |
|-------------------|---|---|
| |  |  |
| Designation | SUL 41 W | SUL 42 W |
| Code | WSU 0406030104 | WSU 0407030104 |
| Height (mm) | 1800 | |
| Width (mm) | 400 | 800 |
| Depth (mm) | 500 | |
| Quantity of doors | 2 | 4 |



SUL 42 W

TECHNICAL SPECIFICATION




| | | | | | |
|-------------------|---|---|---|---|---|
| |  |  |  |  |  |
| Designation | SUS 215W | SUS 225W | SUS 235W | SUS 245W | SUS 255W |
| Code | SUS 0821050601 | SUS 0822050601 | SUS 0823050601 | SUS 0824050601 | SUS 0825050601 |
| Height (mm) | 1090 | | | | |
| Width (mm) | 240 | 430 | 620 | 810 | 1000 |
| Depth (mm) | 300 | | | | |
| Quantity of doors | 5 | 10 | 15 | 20 | 25 |

SMD CABINETS FOR CLEANING STAFF

Multifunctional cabinets are designed for administrative and cleaning purposes . The equipment of the cabinets allows keeping clothes, cleaning products, buckets, brushes, etc. Adjustable shelves.



TECHNICAL SPECIFICATION

| | | | |
|-------------|---|---|---|
| |  |  |  |
| Designation | SMD 60 | SMD 61 | SMD 62 |
| Code | SAU 0401030201 | SAU 0401030401 | SAU 0401030501 |
| Height (mm) | 1800 | | |
| Width (mm) | 600 | | |
| Depth (mm) | 500 | | |
| Equipment | 4 shelves | - compartment with shelves - compartment with a shelf and a bar for clothes | - compartment with shelves - compartment for keeping brushes, mops and a bucket |








SMD 60 SMD 61 SMD 62

LOCKER FOR DRYING CLOTHES

Wardrobe lockers with heating and ventilation for drying clothes is a very practical and modern specialist equipment. Heated clothes drying lockers are designed to dry wet clothes, shoes and gloves in closed rooms. This is a perfect solution wherever environmental conditions cause dampness. They are i.e. construction sites, airports, mines, and many other.



TECHNICAL SPECIFICATION

| | | | | | |
|-------------|---|---|---|---|--|
| |  |  |  |  |  |
| Designation | SUM 421 | SUM 421 | SUM 421 | SUM 421 | Cabinet for clothes and shoes' drying |
| Code | SUMW 0701030214 | SUMW 0701030215 | SUMW 0701030219 | SUMW 0701030230 | XXP 020055 |
| Height (mm) | 2006 | | | | 1971 |
| Width (mm) | 800 | | | | 1515 |
| Depth (mm) | 490 | | | | 500 |
| Equipment | - ventilation and heating 1000 W | - ventilation and heating 1000 W, - internal partitions in compartments | - ventilation and heating 1000 W, - internal partitions in compartments, - a time switch, - power socket to link 3 lockers | - ventilation, - power socket to link 3 lockers | - a bar for clothes, - 20 pipes for shoes, - 2 heating and ventilation modules, - 2 handles to move the cabinet, - leveling feet |

KBS LOCKERS

- The common frame allows opening all compartments at the same time and placing clean gloves for each worker at one time, then each worker opens his compartment and takes his gloves out.
- The module of the locker also contains the compartment for hanging bag for dirty clothes.







METAL RECYCLING BIN

Bins for in-door use, to separate wastes: plastic, paper, glass. Body is made of powder-coated steel sheet. Slanted top prevent wastes from building-up on top of the bin. Self-closing lids prevent precipitation of smell.






TECHNICAL SPECIFICATION

| | | | | |
|--------------------------|---|---|---|---|
| |  |  |  |  |
| Designation | KBS 1 | KBS 2 | KBS 3 | KBS 4 |
| Code | KBS 01050201 | KBS 03050601 | KBS 02050201 | KBS 04050601 |
| Height (mm) | 1900 | | | |
| Width (mm) | 1225 | 820 | 840 | 435 |
| Depth (mm) | 500 | | | |
| Quantity of compartments | 22 + chamber | 22 | 11 + chamber | 11 |



KBS 3

TECHNICAL SPECIFICATION

| | | | | | | | | | |
|-------------|---|----------------|---|----------------|---|---------------------|----------------|----------------------------|-----------------------------|
| |  | |  | |  | | | | |
| Designation | MPO 01r | MPO 01k | MPO 02r | MPO 02k | MPO 02rk | MPO 03r | MPO 03k | MPO 03rrk | MPO 03kkrr |
| Code | PNO 0101010301 | PNO 0101010201 | PNO 0201010301 | PNO 0201010201 | PNO 0201010401 | PNO 0301010301 | PNO 0301010201 | PNO 0301010601 | PNO 0301010501 |
| Height (mm) | 1220 | | | | | | | | |
| Width (mm) | 400 | | 800 | | | 1200 | | | |
| Depth (mm) | 450 | | | | | | | | |
| Equipment | 1 extendable frame | 1 bin | 2 extendable frames | 2 bins | 1 extendable frame + 1 bin | 3 extendable frames | 3 bins | 2 extendable frame + 1 bin | 2 bins + 1 extendable frame |



We offer a full arrangement for doctor's office. From our furniture you can arrange an appealing and functional doctor's room. This is, of course, only one of our suggestions as the final decision rests on you.





MEDICAL DESK



A small, practical doctor's desk. A Container of the desk is constructed with two drawers adapted to the format of card disease patients.

SML CABINETS FOR DOCTORS

- Cabinet doors are made of safety glass – of tempered glass, glass shelves – adjustable every 25 mm.
- There is a possibility to produce lockers on castors which allow for easy movement.







TECHNICAL SPECIFICATION

| | | |
|-------------|---|---|
| |  |  |
| Designation | Bim 212s | Zbm 304 |
| Code | BIML 01021420 | STBJ 16020705 |
| Height (mm) | 740-770 | 740 |
| Width (mm) | 1200 | 1800 |
| Depth (mm) | 600 | 800 |



Bim 212s

| | | | | |
|-------------------|---|---|---|---|
| 800 |  |  |  |  |
| Designation | Sml 101 | Sml 111 | Sml 102 | Sml 112 |
| Code | SML 0101020101 | SML 0101020102 | SML 0201030102 | SML 0201030101 |
| Height (mm) | 1800 | 1890 | 1890 | 1800 |
| Width (mm) | 600 | | 800 | |
| Depth (mm) | 435 | | | |
| Number of shelves | 4 | | | |
| Quantity of doors | 1 | | 2 | |
| Wheels | - | + | + | - |







TECHNICAL SPECIFICATION



Sml 102




Sml 104

| | | | | | | |
|-------------------|---|---|---|---|---|---|
| |  |  |  |  |  |  |
| Designation | Sml 103 | Sml 113 | Sml 104 | Sml 114 | Sml 105 | Sml 115 |
| Code | SML 0301030101 | SML 0301030102 | SML 0201050402 | SML 0201050401 | SML 0201030702 | SML 0201030701 |
| Height (mm) | 1800 | 1890 | 1890 | 1800 | 1890 | 1800 |
| Width (mm) | 1000 | 1000 | 800 | 800 | 800 | 800 |
| Depth (mm) | 435 | | | | | |
| Number of shelves | 4 | | 2 + compartment | | 4 | |
| Quantity of doors | 2 | | 2 + 2 doors compartments | | 2 | |
| Wheels | - | + | + | - | + | - |

MOVABLE SHELVING SYSTEM



LITREG system of movable rack was designed for libraries and archives. This is a perfect solution for archiving purposes providing great possibilities. Our system allows maximal usage of available storage place and and to archive documents. We have also movable racks for clothes. We also recommend our SOFT TOUCH electric drive rack system. This is a truly innovative solution for archivization. The process of operating the racks is effortless. After pressing the button the racks are moving automatically so as to grant access to required catalogues.





- Furniture made of stainless and acid proof steel manufactured by AMEZEUS allow comprehensive furnishing of gastronomic places with:
- modular work tables, which allows creating a table matched to customer's request.
 - work tables with sinks,
 - overshelves,
 - corner tables,
 - tabletops,
 - wall cabinets,
 - wall mounted shelves,
 - cabinets with wing or sliding doors (including through cabinets),
 - racks on feet or on wheels, with shelves or with perforated shelves,
 - hoods and service trolleys.





During the design and manufacturing process, we care about all the details: order, safety, versatility, functionality, ergonomics, design and most importantly - people and their needs at the workstation.



SMK INDUSTRIAL COMPUTER CABINET

- The top part of the cabinet allows using the computer even in the presence of dust and dirt in the air.
- The lower, covered part, serves for safekeeping of other peripherals.
- An extendable shelf allows use of computer keyboard (in basic version the shelf is fixed).
- It is also available to equip the cabinet with an internal electrical fan that cools the monitor. In the bottom part of the cabinet a surge suppression strip can be mounted.
- The back wall has ventilation holes in it. The adjustable shelf makes it possible to set its height in dependence on the kind of computer being kept in the cabinet (in basic version the shelf is fixed).



SPNK INDUSTRIAL COMPUTER CABINET

- Flat case of minimal depth.
- Front screen adapted for LCD monitor of 16:9 aspect ratio and diagonal – up to 22 inches.
- IP-42 protection class, supported with researches: protection from objects larger than 1 mm and protection from drops of water falling on the case at 15°.
- Removable bottom allows screwing the cabinet directly to the ground.
- As a standard the cabinet is equipped with: a fan, main supply cable, Ethernet loop and surge suppression strip.



SPNK



TECHNICAL SPECIFICATION

| | | | | | | |
|-------------|---|--|--|--|---|---|
| | | | | | | |
| Designation | SmK | SmKa | SmK1 | SmK1a | SmK 4a | SmK 4a |
| Code | SMK 0101010201 | SMK 0101010202 | SMK 0101010101 | SMK 0101010102 | SMK 0101010105 | SMK 0101010205 |
| Height (mm) | 1750 | | | | | |
| Width (mm) | 640 | | | | | |
| Depth (mm) | 630 | | | | | |
| Equipment | -The keyboard protecting part opens together with the main doors. The cabinet with equipment: a fan and a power strip | - The keyboard protecting part opens separately. The cabinet with equipment: a fan and a power strip | - The keyboard protecting part opens together with the main door. The cabinet without any additional equipment – without fan and power strip | - The keyboard protecting part opens separately. The cabinet without any additional equipment – without fan and power strip. | - the keyboard protecting part - adjustable shelf | - the keyboard protecting part - adjustable shelf - a fan - a power strip |



SmK 2

| | | | | |
|-------------|--|---|--|---|
| | | | | |
| Designation | SmK 3A | SmK 3A | SmK 2 | SPNK |
| Code | SMK 0405010104 | SMK 0405010204 | SMK 0202030203 | SMK0506050506 |
| Height (mm) | 1545 | | 1600 | 1770 |
| Width (mm) | 640 | | 550 | 755 |
| Depth (mm) | 635 | | 550 | 330 |
| Equipment | The cabinet without electrical equipment. Equipped with: - a drawer for a keyboard - extendable shelf in the lower compartment - ventilation on sides - holes in the rear side for supply cables | The cabinet with electrical equipment. Equipped with: - a drawer for a keyboard - extendable shelf in the lower compartment - ventilation on sides - holes in the rear side for supply cables | The cabinet equipped with a shelf (for a keyboard and a mouse) fixed (montage at client's place), a fan and a power strip with 4 sockets | Cabinet equipped with: - a fan, - a power strip, - a terminal, - a power strip with the anti-interference filter. |

SBM W WORKSHOP CABINETS

From our selection of workshop cabinets everyone can find the right cabinet for one's workshop and for every kind of equipment. Extremely durable and practical metal workshop cabinets can be used in all conditions. It is possible to adjust shelves to any height due to mounting holes punched with 25 mm interspaces. Door handle is equipped with a two point blocking lock.

SZWN WORKSHOP CABINET ON WHEELS




- Workshop cabinets on wheels are equipped with:
- hardwood plywood top
 - central locks blocking all drawers
 - drawers mounted on sliding bearing guides (maximum loading capacity is 30 kg)
 - cupboard doors locked with cylindrical locks
 - two manoeuvrable wheels



WORKSHOP CABINET WITH BOXES

Helps to keep small items in order. These objects are locked, on place and always at hand, what is comfortable in warehouses, workshops and stores.



TECHNICAL SPECIFICATION

| | | | |
|-------------|---|---|---|
| |  |  |  |
| Designation | Sbm 203W | Sbm 212W | Swm 205 |
| Code | SBM 03030304 | SBM 04030304 | SWM 0202030402 |
| Height (mm) | 1990 | | |
| Width (mm) | 1000 | 1200 | 1000 |
| Depth (mm) | 435 | | |
| Equipment | Quantity of shelves 4 | | |
| | Quantity of boxes small: 80 pcs on every door large: 72 pcs on the back wall | | |
| | Dimensions of boxes (mm) small: 56 x 77 x 119/90 large: 108 x 144 x 224/170 | | |



Swm 205

TECHNICAL SPECIFICATION

| | | |
|-------------|---|---|
| |  |  |
| Designation | Szwn 251 | Szwn 252 |
| Code | GWJ 0101020702 | GWJ 0101010802 |
| Height (mm) | 928 | |
| Width (mm) | 961 | |
| Depth (mm) | 600 | |
| Equipment | 5 drawers including a deep one | 10 drawers including 2 deep ones |



Szwn 251

RMM STORAGE RACKS

- Universal storage racks necessary in those places, where different items, tools, cardboard boxes, and other items are kept. In order to shorten the time-consuming montage we have came up with racks that do not need screws to be assembled. They are very easy and smooth to assembly and disassembly. Durability, solidity and quality are real advantages of these racks. Elements are made of powder coated steel sheet. Possible to produce – on customer’s demand – racks made of galvanized or acid proof steel sheet are also available.
- In the storage rack the shelves are adjustable with 60 mm interspaces, and in snap-together racks – with 30 mm interspaces. Maximum loading capacity of the shelf is 100 kg.



TECHNO WORKBENCHES

Thanks to its modular construction and two lines we offer you a possibility of creating any possible configuration adjusted to specified needs:

- Heavy TECHNO EXPERT workbenches is designed for professional solutions (maximum loading capacity is 1350 kg).
- TECHNO LIGHT workbenches is designed for professional as well as for amateurish solutions (maximum loading capacity is 600 kg).

TECHNO EXPERT



TECHNICAL SPECIFICATION

| | | | | | |
|-------------------------|----------------|----------------|----------------|----------------|---------------|
| | | | | | |
| Designation | Rmm 302 | Rmm 301 | Rmm 303 | Rmm 202 | Rmm 201 |
| Code | RMM 0301010201 | RMM 0303040201 | RMM 0305030201 | RMM 0102020101 | RMM0204030101 |
| Height (mm) | 900 | 1980 | 1800 | 1510 | 2000 |
| Width (mm) | 1000 | 1000 | | 750 | 900 |
| Depth (mm) | 500 | 500 | | 300 | 600 |
| Number of shelves | 3 | 6 | 5 | 4 | 5 |
| Assembly with screws | | | | + | + |
| Assembly without screws | + | + | + | | |
| Load capacity (kg) | 200 | 200 | | 100 | |



Rmm 301

TECHNO LIGHT




WWT WORKSHOP TROLLEY

Professional line of Techno workshop trolley, thanks to its functionality, is a perfect solution for garages, service stations and facilities. Additional accessories such as: perforated wall, containers, drawers dividers, microrubber, tool hangers, make our workshop trolleys a movable work stations.




STANDARD RAL COLOURS




RAL 9010




RAL 1015




RAL 7032




RAL 8016




RAL 1023




RAL 2004




RAL 3020




RAL 3005




RAL 6011




RAL 6033




RAL 5018



RAL 7016




RAL 5012



RAL 5010








RAL 7035



RAL 9005

TECHNICAL SPECIFICATION

| | | | | | |
|-------------|---|---|---|---|---|
| |  |  |  |  |  |
| Designation | WWT 75A | WWT 75B | WWT 75C | WWT 75D | top box for WWT trolley |
| Code | WWT 0101010102 | WWT 0101010202 | WWT 0101010302 | WWT 0101020401 | XXXP 030042 |
| Height (mm) | 900 | | | | 516 |
| Width (mm) | 790 | | | | |
| Depth (mm) | 490 | | | | |
| Equipment | 1x drawer 300 mm 2x drawer 100 mm 2x drawer 75 mm | 1x drawer 200 mm 1x drawer 150 mm 4x drawer 75 mm | 1x drawer 200 mm 6x drawer 75 mm | Hinged door 2 adjustable shelves | 4 x drawer 100 mm |

The only purpose of this table is to show the colours roughly. For more accurate view please see full RAL colours palette. We reserve the right to possibility of occurring insignificant differences from the given colours, what should not be a reason of any complaints. We also reserve the right to implement construction changes in our production, what can have insignificant influence on the product appearance.

Colours of products shown in the photographs in the catalogue and the visualisations have demonstrative character only and may differ from the colours of the offered products.



Taillepied 44 - 1095 Lutry
www.amezeus.com
info@amezeus.com
+41 21 903 57 67



A VOTRE SERVICE DEPUIS 1995