

Catalogue Mobilier métallique






Taillepied 44 - 1095 Lutry www.amezeus.com direction@amezeus.com +41 21 903 57 67






HOME FURNITURE



OFFICE FURNITURE



SBM OFFICE CABINETS WITH WING DOORS

- Office cabinets are of comprehensive use thanks to varied possibilities of their internal equipment: adjustable shelves, rich additional equipment (frame drawers, extended shelves, full drawers, equipped cabinet with a compartment.
- Smoothly adjustable shelves (adjustable shelves at full height).
 Available Cabinet with a wardrobe and filing compartment section with a bar with hooks for clothes as well as four shelves for documents.
- In the cabinets for documents there is a door handle equipped with a lock securing in 2 points (the top and the bottom).
- The cabinets are available in various price levels.





Sbm 204



TECHNICAL SPECIFICATION

Designation	SBM 101 Primo	SBM 102 Primo	SBM 103 Primo	SBM 107 Primo	SBM 201 Primo	SBM 202 Primo	SBM 203 Primo	SBM 212 Primo
Code	SBM 01023203	SBM 02023303	SBM 03023303	SBM 04023303	SBM 01033204	SBM 02033304	SBM 03033304	SBM 04033304
Height (mm)		10	40			19	90	
Width (mm)	600	800	1000	1200	600	800	1000	1200
Depth (mm)				4	35			
Cabinet's capacity		2 rows of binders 5 rows of binders						
Number of shelves		2	2			1	/ +	

Designation	SBM 204 Primo	SBM 213 Primo	SBM 206 Primo	SBM 215 Pri
Code	SBM 03033305	SBM 04033305	SBM 03033306	SBM 0403330
Height (mm)		19	90	
Width (mm)	1000	1200	1000	1200
Depth (mm)				
Cabinet's capacity	4 rows of bir	nders + locker	1 row of binde	rs+4 in halves
Number of shelves		3	4 shelves + wardr	obe compartm





Sbm 203 Primo

Sbm 103 Primo

	SPM 402 Drime SPM 405 Drime				
rimo	SBM 403 Primo	SBM 405 Primo	SBM 803 Primo	SBM 804 Primo	
306	SBM 03013302	SBM 04013302	SBM 03123302	SBM 04123302	
		46	55		
	1000	1200	1000	1200	
4	35				
25	2 low	rows	2 rows o	f binders	
nent			1		

SBM OFFICE CABINETS WITH SHUTTER DOORS

- The cabinets with shutter doors are both elegant and functional.The doors retracts into double side walls of the cabinet made of PVC slats with practical snap lock.
- The cabinet locked with a cylindrical lock.
- In a wardrobe and filing compartment section with a bar with hooks for clothes as well as four shelves for documents.



TECHNICAL SPECIFICATION

Designation	SBM 105 Primo	SBM 109 Primo	SBM 208 Primo	SBM 217 Primo	SBM 218 Primo	SBM 219 Primo	top cabinet SBM 404 Primo	top cabinet SBM 406 Primo
Code	SBMZ 03023503	SBMZ 04023503	SBMZ 03033504	SBMZ 04033504	SBMZ 03033506	SBMZ 04033506	SBMZ 03013502	SBMZ 04013502
Height (mm)	10	40		19	90		44	55
Width (mm)	1000	1200	1000	1200	1000	1200	1000	1200
Depth (mm)				4	35			
Cabinet's capacity	2 rows o	f binders	5 rows of binders 1 row of binders + 4 in halves 2 low rows					
Number of shelves	2	2	Ĺ	4	4 shelves + wardr	obe compartment		1

AVAILABLE COLOURS OF SHUTTER DOORS





Sbm 208 Primo

EXTRA CHARGE Silver Beech

White

SBM OFFICE CABINETS WITH SLIDING DOORS

Office cabinets with sliding doors do not require any additional space to open, and their aesthetic value and reliability are appreciated by their users.

- The cabinets are equipped in 4 adjustable shelves.
- Cabinets are equipped with a cylindrical lock and a door handle.

SBM OFFICE CABINETS WITH RETRACTABLE DOORS

The office cabinet with retractable doors significantly reduces the spaces needed to open the cabinet.

The doors slide into sides of the cabinet.

- 2-point locking door handle.



TECHNICAL SPECIFICATION

						A A A	
Designation	SBM 112 Primo	SBM 110 Primo	SBM 111 Primo	SBM 222 Primo	SBM 220 Primo	SBM 221 Primo	
Code	SBMP 03023603	SBMP 04023603	SBMP 05023604	SBMP 03033604	SBMP 04033604	SBMP 05033620	
Height (mm)		1040		1990			
Width (mm)	1000	1200	1400	1000	1200	1400	
Depth (mm)			43	35			
Cabinet's capacity	2 rows of binders			5 rows of binders			
Number of shelves	2	2	4 (2 shelves on each side of the partition wall)	L	L .	8 (4 shelves on each side of the partition wall)	

Designation	SBM 210 Primo	SBM 211 Primo
Code	SBMC 03033704	SBMC 03033705
Height (mm)	19	90
Width (mm)	10	00
Depth (mm)	4	35
Cabinet's capacity	5 rows of binders	4 rows of binders + storage lock
Number of shelves	4	3

ADDITIONAL EQUIPMENT **TO OFFICE CABINETS**

For office cabinets it is often necessary to have additional equipment: shelves, full drawers, frame shelf. Proposed elements will adjust every wardrobe to the individual needs of users.









Full extended drawer







Frame extended drawer for hanging files



Leveling feet

RZ CABINETS WITHOUT DOORS

- Cabinets without doors made of steel with 4 adjustable shelves every 25cm.
- The distance between shelves from the center position : 375mm.
- Maximum load capacity of the standard shelf is : 60kg.

TOWER PEDESTALS AND ADDITIONAL EQUIPMENT

Tower pedestals designed to store the most necessary documents and items allow to keep the workplace clean. Low tower pedestal is an extension of a workplace. High tower pedestal separates workplaces providing discretion, noise reduction and better working conditions.



TECHNICAL SPECIFICATION


Designation	RZ 101 Primo	RZ 102 Primo	RZ 103 Primo	RZ 107 Primo	RZ 201 Primo	RZ 202 Primo	RZ 203 Primo	RZ 212 Primo
Code								
Height (mm)		10	40			19	90	
Width (mm)	600	800	100	1200	600	800	1000	1200
Depth (mm)				43	35			
Cabinet's capacity		2 rows o	f binders			5 rows o	f binders	
Number of shelves		2	2		4			
TOP CABINETS								
Designation	RZ 801 Primo	RZ 802 Primo	RZ 803 Primo	RZ 804 Primo	RZ 401 Primo	RZ 402 Primo	RZ 403 Primo	RZ 405 Primo
Code								
Height (mm)		8	10			46	55	
Width (mm)	600	800	1000	1200	600	800	1000	1200
Depth (mm)		4.						
Cabinet's capacity		2 rows o	fbinders			2 low	rows	
Number of shelves				1				

Mobile pedestals with upholstered seat allow to store important items and to be used as a seat.

Mediaports with possibility of connecting the most important media directly to sockets placed in a table. It is the possibility of any configuration of necessary slots according to needs. The following slots can be used : the power, computer, telephone, USB and others. Mediaport can be equipped with 2-10 media modules.

Designation	CB 748	CB 748 P	CB 1348	CB 1348
Code	CB 0206061700	CB 0206061706	CB 0207061805	CB 0207061
Height (mm)	75	50	13	20
Width (mm)		4	38	
Depth (mm)		80	00	
Equipment	- metal top and front - 1 shelf - 2 small compartments in the top	- melamine top and front - 1 shelf - 2 small compartments in the top	- metal top and front - 2 shelves - 2 small compartments in the top	- melamine and fron - 2 shelve - 2 smal compartmer the top





SZK FILING CABINETS

- Filing cabinets are made of steel sheet with a base made of zinc galvanized steel sheet.
 Drawers are installed on double extension ball bearing slides, protected against falling out.
 Cabinets have a special mechanism that allows for opening of only one of the drawers at a time which protects the cabinet against tipping. Drawers are equipped with a central locking mechanism.
 Maximum load capacity of each drawer is 60kg.
 There are self-adhesive cardholders available in relation to the number of drawers.
 Available cabinet in the depth of 435mm (the depth is adjusted to the depth of office cabinets).

- Cabinets are available in various price versions.
 Cabinets are equipped with the shims for leveling.



Skb 210



TECHNICAL SPECIFICATION

Designation	Szk 101	Szk 201	Szk 301	Szk 102	Szk 202	Szk 302	Szk 305	Szk 304
Code	SZK 01010101	SZK 01020201	SZK 01030301	SZK 02010801	SZK 02020901	SZK 02031001	SZK 02031302	SZK 03031102
Height (mm)	715	1000	1285	715	1000		1285	
Width (mm)		415			77	75		545
Depth (mm)				63	30			
Quantity of drawers	2	3	4	2	3	4	-	5
Quantity of rows in the drawer		1			2		4	2
Internal dimensions of the drawer (mm)	height x widt	h x depth 244 (front 28	0) x 330 x 585	height x width x depth 244 (front 280) x 690 x 585 height x width x depth 100 (front 223) x 690 x 585 height x width x depth 187 (front 223) x 690 x 585				
Size			A	4			A5 vertical	A5 horizontal

Designation	Szk 318	Szk 103	Szk 20
Code	SZK 09032102	SZK 02011402	SZK 0202
Height (mm)	1285	715	1000
Width (mm)	610		775
Depth (mm)		63	30
Quantity of drawers	5	4	6
Quantity of rows in the drawer	2		4
Internal dimensions of the drawer (mm)	height x width x depth 150 (front 223) x 522 x 585	height x wid	th x depth 100
Size	B5 horizontal		A6



Skb310

The Area in the second se			
03	Szk 303	Skb 210	Skb 310
1502	SZK 02031602	SKB 101020200525	SKB 0101020100S15
)	1285	940	1225
		10	00
		4	35
	8		
(front 137) x 690 x 585	244 (front 28	0) x 918 x 330

SRM DRAWING CABINETS

Cabinets for drawings, maps, printing plates and technical documentation that ensure safe, practical and organized storage of these materials. Cabinets are designed for AO/A1 sizes.

- For individual requirements of our customers we are able to divide drawers with additional partitions, into various sizes from A4 to A1.
 Maximum load capacity of each drawer is 60kg.
- Drawers are installed on full extension ball bearing slides protected against falling out.
- Central cylinder lock secures all drawers.
- The cabinets can be placed directly on the floor or on the socles.



Optional : drawers' partitions

STB COMFORT OFFICE DESKS

STB COMFORT office desks allow to arrange an office accordingly to individual needs. Both practical and functional, they ensure working in comfort while retaining cohesive style of office spaces. A rich choice of dimensions, forms and colours will let you find a perfect solution to every office. SZP Mobile pedestals and additional equipment such as desks connectors and front covers allow for practical furnishing of workplaces and office spaces.

Comfort, functionality, ergonomics – these are features, for which customers value metal office furniture.



Designation	Srm 100	Srm 101	Srm 201	Srm 100 socle	Srm 101, Srm 201 socle
Code	SRM 02010102	SRM 01010102	SRM 01020102	CSRM 0201	CSRM 0101
Height (mm)	42	25	770	140	
Width (mm)	1315	97	20	1290	945
Depth (mm)	920	67	70	895	645
Internal dimensions of the drawer (mm)	height x width x depth 45 x 1235 x 895	height x width x depth 45 x 890 x 630			-
Quantity of drawers	5	5 10		-	-
Size	AO	A	1	AO	A1



Designation	Stb 1060	Stb 1260	Stb 1460	Stb 1660	Stb 1860	
Code	MST 0101010101	MST 0201010101	MST 0301010101	MST 0401010101	MST 0501010101	
Height (mm)		745÷770				
Width (mm)	1000	1200	1400	1600	1800	
Depth (mm)		600				



Designation	Stb 1080	Stb 1280	Stb 1480	Stb 1680	Stb 1880	
Code	MST 0601010101	MST 0701010101	MST 0801010101	MST 0901010101	MST 1001010101	
Height (mm)	745÷770					
Width (mm)	1000	1200	1400	1600	1800	
Depth (mm)	800					

				A A A A A A A A A A A A A A A A A A A	
Designation	Half round connector 60	Half round connector 80	Quarter round connector 60	Quarter round connector 80	
Code	XMST 02060202	XMST 02070202	XMST 03080202	XMST 03090202	
Height (mm)	745÷770				
Width (mm)	1200	1600	600	800	
Depth (mm)	600	800	600	800	

Designation	Front cover 10	Front cover 12	Front cover 14	Front cover 16	Front cover 18	
	XMST 01010101	XMST 01020101	XMST 01030101	XMST 01040101	XMST 01050101	
Code		XIVI31 01020101	XIII 01000101	XIVI31 01040101	XIVI51 01050101	
Code Height (mm)		XW31 01020101	330	XIVIST 01040101		





SCHOOL FURNITURE





Modern rooms and school classrooms require functional, durable and aesthetic furniture. Such equipment can be found in our offer. To classrooms we recommend the cabinet to storage of tablets and laptops, school desks, cabinets for storage aids. For handy students materials – a popular and practical locker with compartments, to staff rooms – office cabinets for documents. Our cabinets for binders and filing you equip the secretariat and office rooms, the wardrobe lockers – the cloakroom, social lockers – a



School lockers are made of top quality steel. The bottom of the locker is made of galvanized steel to protect it from corrosion additionally. We use powder coatings from leading global manufacturers. A wide range of standard colours – 16 RAL colours.

SUM S LOCKERS FOR PRE-SCHOOLERS

In our offer we also have 1350 mm high SUM S lockers. Even the youngest children will be able to hang their clothes and reach the shelves without any effort. Cloakrooms in kindergarten equipped with wardrobe lockers enhance kinds' independence. Children who have their own individual lockers more willingly and actively prepare to their classes.

0

SUM S LOCKERS FOR 6-YEAR-OLDS

For younger pupils we offer lockers height of 1500 mm. In the compartments of the lockers the ventilation holes are made allowing free exchange of air.

Additional equipment:

- The bar with hooks
- The shelf for books, notebooks and handheld things.






TECHNICAL SPECIFICATION

Designation	SumS 310p	SumS 320p	SumS 330p	SumS 340p	
Code	SUM 1703040112	SUM 1803040112	SUM 1903040112	SUM 2003040112	
Height (mm)	· · · · · · · · · · · · · · · · · · ·	13	50		
Width (mm)	300	600	900	1200	
Depth (mm)	500				
Number of units	1	2	3	4	

Designation	SumS 310	SumS 320			
Code	SUM 1702020510	SUM 1802020510			
Height (mm)					
Width (mm)	300	600			
Depth (mm)	500				
Number of units	1	2			





WNT TABLET TROLLEY

Tablet trolley has inbuilt battery charge function and is designed to store and carry 32 tablets and one laptop. It is a perfect solution for schools, libraries, meeting rooms, in other words in every place that safe storage and simultaneous tablet recharge is needed.

WNT tablet trolley advantages:

- Simultaneous recharge of up to 32 units of such devices as : tablets, smartphones, and one laptop.
- Each USB socket is equipped with LED diode confirming its correctness of the work.
- Both circuit-breaker protection and protection against overload.
- Protection against overheating.
- Implementation of single loading time limiter (up to 5 hours) to safe batteries of currently charging devices and to decrease energy consumption.

*Contact us to know what devices can be charged in our trolleys.



WNL LAPTOP TROLLEY

- The WNL Laptop trolley is meant to store laptops and to provide battery recharge function.
- We have applied a sequencer to provide overload and surge protection, which allow to enable individual terminal blocks after a particular period of time (~3 minutes). That results in maintaining low electrical load of the trolley.
- Flashing diode signals the state of work of particular terminal blocks
- The trolley has one connector plug and overload fuse.
- The trolley is also equipped on both sides with grips, the top is made from melamine, ventilation holes for air circulation and with 4 wheels (2 of them are with a brake).
- Additionally, side edges of the trolley are secured with rubber corners.





Cabinet is used to protect PC units with the simultaneous possibility of recharging the battery during storage. Inside the body, on the side the strip is mounted which contains sockets for connecting chargers, laptops - in every locker.

Designation	Locker for lapt	ops SZNL 4110	WNL 110	WNL 208	WNL 210	WNL 213	WNL 310	WNT 33
Code	SZNL 0101010101	SZNL 0101010104	WNL 0514060204	WNL 0615050404	WNL 0614050404	WNL 0616050404	WNL 0714050404	WNL0917050604
Height (mm)	18	800	1250	1060	1250	1540	1250	1050
Width (mm)	4	00	530		920		1310	730
Depth (mm)				500				440
Description	Locker without wiring	Locker with wiring	1 column 10 sockets (10 laptops)	2 columns 8 sockets (16 laptops)	2 columns 20 sockets (20 laptops)	2 columns 13 sockets (26 laptops)	3 columns 10 sockets 30 (laptops)	the trolley to storage 32 tablets +1 laptop

MOBILE PHONE LOCKER

The locker for storing mobile phones for places where their use is forbidden. Lockers provide a safe storage space for places such as reading rooms, libraries, gyms, schools. Each compartment has its own, independent lock. There is a possibility to mount code or coin locks.

Designation	WSS 5	WSS 10	WSS 20	WSS 30	WSS 35
Code	WSS 06010601	WSS 01010101	WSS 02010201	WSS 03020301	WSS 07010701
Height (mm)	780			930	780
Width (mm)	210	390	750	930	1290
Depth (mm)	200				

Designation	WSS 50	WSS 55	WSS 60	WSS 80	WSS 90
Code	WSS 03030801	WSS 03040901	WSS 04030401	WSS 05030501	WSS 08031001
Height (mm)	1530	1680	1530		
Width (mm)	930		1110	1470	1650
Depth (mm)	200				

SOCIAL FURNITURE



SUM W WARDROBE LOCKERS

- All lockers are manufactured from steel sheet. There is a possibility to produce lockers made of various kind of metal sheets (stainless, galvanized, acid proof).
- Lockers are powder coated.
- We offer lockers in various price versions depending on the type of the sheet and its thickness.
 Doors have the ventilation holes which allow exchange of the air between the locker and the room.

LOCKERS – SHEET TYPES

- Steel + powder coated
- Galvanized + powder coated = additional protection against corrosion
- Acid-proof = additional protection against corrosion





Sum 420 W

Sum 321



TECHNICAL SPECIFICATION

300mm wide without partition wall				
Designation	Sum 310 W	Sum 320 W	Sum 330 W	Sum 340 W
Code	WSU 0101020102	WSU 0102020102	WSU 0103020102	WSU 0104020102
Height (mm)		18	00	
Width (mm)	300	600	900	1200
Depth (mm)		50	00	
Number of units	1	2	3	4


400 mm wide lockers with an internal partition wall			
Designation	Sum 410 W		
Code	WSU 0201020103		
Height (mm)			
Width (mm)	400		
Depth (mm)			
Number of units	1		



Sum 420 + P 421




Sum 421k



SUS W WARDROBE LOCKERS


- Locker with compartments, due to their functionality, diversity and aesthetic appearance can be used in cloakrooms, kindergartens, schools, swimming pools, fitness clubs, railway stations for keeping luggage, in supermarket, at work place for keeping bags and helmets, etc.
- Ventilation slots in the doors allow exchange of air in the locker.
- Locker with compartments are available in various price versions depending on the steel sheet type and its thickness.




TECHNICAL SPECIFICATION

Designation	SUS 322 W	SUS 324 W	SUS 325 W			
Code	WSU 0107020104	WSU 0117020101	WSU 0122020101			
Height (mm)	1800					
Width (mm)	600					
Depth (mm)	500					
Number of units		2				





- As options Euro-lock type key lock (C) or a padlock for hanging locks can be used (D).
- There is a possibility to order lockers with the MASTER key (one key can open particular number of locks).
 - Other available (for an additional charge) locks:
 - water-resistant cylindrical locks (a brass insert and a key) - coin locks (E) – with return (F) and without return (G)
 - code locks and others on customer's request.



MASTER key

ADDITIONAL EQUIPMENT :

- a plastic bar with hokks
- a shelf above the bar
- inner partition (in the column width of 400 mm)
- a mirror
- a hanger
- lockers may have slanted tops that facilitate cleaness






slanted top

base with bench with

adjustable feet





base with bench with adjustable feet – economic version





base frame with legs for WSU locker (140 mm high)



base with extendable bench with adjustable feet




base with a bench with adjustable feet



base with a bench with adjustable feet – economic version









SUL W WARDROBE LOCKERS

- In order to make use of small spaces such as cloakrooms, made the L-shape wardrobe locker.
 Lockers are manufactured as single or double units. They can be placed on the wardrobe lockers.
 We offer lockers in various price versions, depending on the steel sheet type and its thickness.

- 1-point lock as a standard.



Canteen lockers to store food and personal items are ideal choice in dining areas, buffets and canteens.




TECHNICAL SPECIFICATION

Designation	SUL 41 W	SUL 42 W	
Code	WSU 0406030104	WSU 0407030104	
Height (mm)	18	00	
Width (mm)	400 800		
Depth (mm)	500		
Quantity of doors	2	4	



	हा स स स	111111	
Designation	SUS 215W	SUS 225W	SI
Code	SUS 0821050601	SUS 0822050601	SUS
Height (mm)			
Width (mm)	240	430	
Depth (mm)			
Quantity of doors	5	10	



SMD CABINETS FOR CLEANING STAFF

Multifunctional cabinets are designed for administrative and cleaning purposes . The equipment of the cabinets allows keeping clothes, cleaning products, buckets, brushes, etc. Adjustable shelves.

LOCKER FOR DRYING CLOTHES


Wardrobe lockers with heating and ventilation for drying clothes is a very practical and modern specialist equip-ment. Heated clothes drying lockers are designed to dry wet clothes, shoes and gloves in closed rooms. This is a perfect solution wherever environmental conditions cause dampness. They are i.e. construction sites, airports, mines, and many other.



TECHNICAL SPECIFICATION

Designation	SMD 60	SMD 61	SMD 62
Code	SAU 0401030201	SAU 0401030401	SAU 0401030501
Height (mm)	1800		
Width (mm)	600		
Depth (mm)	500		
Equipment	4 shelves	 compartment with shelves compartment with a shelf and a bar for clothes 	 compartment with shelves compartment for keeping brushes, mops and a bucket







	SUM 421	Cabinet for clothes and shoes' drying
19	SUMW 0701030230	XXP 020055
		1971
		1515
		500
eating ns in s, h, link 3	- ventilation, - power socket to link 3 lockers	- a bar for clothes, - 20 pipes for shoes, - 2 heating and ventilation modules, - 2 handles to move the cabinet, - leveling feet

KBS LOCKERS

- The common frame allows opening all compartments at the same time and placing clean gloves for each worker at one time, then each worker opens his compartment and takes his gloves out.
 The module of the locker also contains the compartment for hanging bag for dirty clothes.

METAL RECYCLING BIN

Bins for in-door use, to separate wastes: plastic, paper, glass. Body is made of powder-coated steel sheet. Slanted top prevent wastes from building-up on top of the bin. Self-closing lids prevent precipitation of smell.



TECHNICAL SPECIFICATION

		<u>1111777111111111111111111111111111111</u>		
Designation	KBS 1	KBS 2	KBS 3	KBS 4
Code	KBS 01050201	KBS 03050601	KBS 02050201	KBS 04050601
Height (mm)		19	00	
Width (mm)	1225	820	840	435
Depth (mm)	500			
Quantity of compartments	22 + chamber	22	11 + chamber	11





	000				
MPO 02rk	MPO 03r	MPO 03k	MPO 03rrk	MPO 03kkr	
PNO 0201010401	PNO 0301010301	PNO 0301010201	PNO 0301010601	PNO 0301010501	
1220					
		12	00		
450		12	00		
450 1 extendable frame + 1 bin	3 extendable frames	12 3 bins	00 2 extendable frame + 1 bin	2 bins + 1 extendable frame	

MEDICAL FURNITURE



MEDICAL DESK

A small, practical doctor's desk. A Container of the desk is constructed with two drawers adapted to the format of card disease patients.

SML CABINETS FOR DOCTORS


Cabinet doors are made of safety glass – of tempered glass, glass shelves – adjustable every 25 mm.
There is a possibility to produce lockers on castors which allow for easy movement.



		FR
Designation	Bim 212s	Zbm 304
Code	BIML 01021420	STBJ 16020705
Height (mm)	740-770	740
Width (mm)	1200	1800
Depth (mm)	600	800



800					
Designation	Sml 101	Sml 111	Sml 102	Sml 112	
Code	SML 0101020101	SML 0101020102	SML 0201030102	SML 0201030101	
Height (mm)	1800	1890	1890	1800	
Width (mm)	600 800			00	
Depth (mm)		4	35		
Number of shelves	4				
Quantity of doors	1 2				
Wheels	-	+	+	-	



Designation	Sml 103	Sml 113	Sml 104
Code	SML 0301030101	SML 0301030102	SML 020105040
Height (mm)	1800	1890	1890
Width (mm)	1000	1000	800
Depth (mm)			
Number of shelves	L	2+	
Quantity of doors	2	2+2 do	
Wheels	-	+	+

MOVABLE SHELVING SYSTEM



FURNITURE FOR GASTRONOMY







SMK INDUSTRIAL COMPUTER CABINET

- The top part of the cabinet allows using the computer even in the presence of dust and dirt in the air.The lower, covered part, serves for safekeeping of other peripherals.

- An extendable shelf allows use of computer keyboard (in basic version the shelf is fixed).
 It is also available to equip the cabinet with an internal electrical fan that cools the monitor. In the bottom part of the cabinet a surge suppression strip can be mounted.The back wall has ventilation holes in it. The adjustable shelf makes it possible to set its height in dependence
- on the kind of computer being kept in the cabinet (in basic version the shelf is fixed).

SPNK INDUSTRIAL COMPUTER CABINET

- Flat case of minimal depth.
- from drops of water falling on the case at 15°.





Designation	SmK	SmKa	SmK1	SmK1a	SmK 4a	SmK 4a
Code	SMK 0101010201	SMK 0101010202	SMK 0101010101	SMK 0101010102	SMK 0101010105	SMK 0101010205
Height (mm)			17	50		
Width (mm)			64	0		
Depth (mm)			63	30		
Equipment	-The keyboard protecting part opens together with the main doors. The cabinet with equipment: a fan and a power strip	- The keyboard protecting part opens separately. The cabinet with equipment: a fan and a power strip	- The keyboard protecting part opens together with the main door. The cabinet without any additional equipment - without fan and power strip	- The keyboard protecting part opens separately. The cabinet without any additional equipment – without fan and power strip.	- the keyboard protecting part - adjustable shelf	- the keyboard protecting part - adjustable shelf - a fan - a power strip



SPNK

Designation	SmK 3A	SmK 3A	SmK 2	SPNK
Code	SMK 0405010104	SMK 0405010204	SMK 0202030203	SMK0506050506
Height (mm)	1545		1600	1770
Width (mm)	640		550	755
Depth (mm)	63	35	550	330
Equipment	The cabinet without electrical equipment. Equipped with: - a drawer for a keyboard - extendable shelf in the lower compartment - ventilation on sides - holes in the rear side for supply cables	The cabinet with electrical equipment. Equipped with: - a drawer for a keyboard - extendable shelf in the lower compartment - ventilation on sides - holes in the rear side for supply cables	The cabinet equipped with a shelf (for a keyboard and a mouse) fixed (montage at client's place), a fan and a power strip with 4 sockets	Cabinet equipped with: - a fan, - a power strip, - a terminal, - a power strip with the anti-interference filter.

Front screen adapted for LCD monitor of 16:9 aspect ratio and diagonal – up to 22 inches.
IP-42 protection class, supported with researches: protection from objects larger than 1 mm and protection

Removable bottom allows screwing the cabinet directly to the ground.
As a standard the cabinet is equipped with: a fan, main supply cable, Ethernet loop and surge suppression strip.





SBM W WORKSHOP CABINETS

From our selection of workshop cabinets everyone can find the right cabinet for one's workshop and for every kind of equipment. Extremely durable and practical metal workshop cabinets can be used in all conditions. It is possible to adjust shelves to any height due to mounting holes punched with 25 mm interspaces. Door handle is equipped with a two point blocking lock.

SZWN WORKSHOP CABINET ON WHEELS

Workshop cabinets on wheels are equipped with:

- hardwood plywood top
- central locks blocking all drawers
- drawers mounted on sliding bearing guides (maximum



Helps to keep small items in order. These objects are locked, on place and always at hand, what is comfortable in warehouses, workshops and stores.

TECHNICAL SPECIFICATION

Designation	Sbm 203W	Sbm 212W	Swm 205
Code	SBM 03030304	SBM 04030304	SWM 0202030402
Height (mm)			1990
Width (mm)	1000	1200	1000
Depth (mm)			435
	Quantity of shelves 4		Quantity of boxes small: 80 pcs on every door large: 72 pcs on the back wall
Equipment			Dimensions of boxes (mm) small: 56 x 77 x 119/90 large: 108 x 144 x 224/170



DBAJ O SILNIK

TECHNICAL SPECIFICATION

Designation	SzwN 251	SzwN 252				
Code	GWJ 0101020702	GWJ 0101010802				
Height (mm)	93	28				
Width (mm)	961					
Depth (mm)	600					
Equipment	5 drawers including a deep one	10 drawers includir 2 deep ones				

loading capacity is 30 kg)

- cupboard doors locked with cylindrical locks
- two manoeuvrable wheels





RMM STORAGE RACKS

- Universal storage racks necessary in those places, where different items, tools, cardboard boxes, and other items are kept. In order to shorten the time-consuming montage we have came up with racks that do not need screws to be assembled. They are very easy and smooth to assembly and disassembly. Durability, solidity and quality are real advantages of these racks. Elements are made of powder coated steel sheet. Possible to produce on customer's demand racks made of galvanized or acid proof steel sheet are also available.
 In the storage rack the shelves are adjustable with 60 mm interspaces, and in snap-together racks with 30 mm interspaces. Maximum leading capacity of the shelf is 100 kg.
- mm interspaces. Maximum loading capacity of the shelf is 100 kg.

TECHNO WORKBENCHES

Thanks to its modular construction and two lines we offer you a possibility of creating any possible configuration adjusted to specified needs:

- capacity is 600 kg).

TECHNO EXPERT



Rmm 301

TECHNICAL SPECIFICATION

Designation	Rmm 302	Rmm 301	Rmm 303	Rmm 202	Rmm 201
Code	RMM 0301010201	RMM 0303040201	RMM 0305030201	RMM 0102020101	RMM0204030101
Height (mm)	900	1980	1800	1510	2000
Width (mm)	1000	1000		750	900
Depth (mm)	500	500		300	600
Number of shelves	3	6	5	4	5
Assembly with screws				+	+
Assembly without screws	+	+	+		
Load capacity (kg)	200	200		100	

TECHNO LIGHT





Heavy TECHNO EXPERT workbenches is designed for professional solutions (maximum loading capacity is 1350 kg).
TECHNO LIGHT workbenches is designed for professional as well as for amateurish solutions (maximum loading




WWT WORKSHOP TROLLEY

Professional line of Techno workshop trolley, thanks to its functionality, is a perfect solution for garages, service stations and facilities. Additional accessories such as: perforated wall, containers, drawers dividers, microrubber, tool hangers, make our workshop trolleys a movable work stations.



STANDARD RAL COLOURS









Designation	WWT 75A	WWT 75B	WWT 75C	WWT 75D	top box for WWT trolley
Code	WWT 0101010102	WWT 0101010202	WWT 0101010302	WWT 0101020401	XXXP 030042
Height (mm)	900				516
Width (mm)	790				
Depth (mm)	490				
Equipment	1x drawer 300 mm 2x drawer 100 mm 2x drawer 75 mm	1x drawer 200 mm 1x drawer 150 mm 4x drawer 75 mm	1x drawer 200 mm 6x drawer 75 mm	Hinged door 2 adjustable shelves	4 x drawer 100 mm

RAL 1023










The only purpose of this table is to show the colours roughly. For more accurate view please see full RAL colours palette. We reserve the right to possibility of occurring insignificant differences from the given colours, what should not be a reason of any complaints.

We also reserve the right to implement construction changes in our production, what can have insignificant influence on the product appearance.

Colours of products shown in the photographs in the catalogue and the visualisations have demonstrative character only and may differ from the colours of the offered products.





Taillepied 44 - 1095 Lutry www.amezeus.com direction@amezeus.com +41 21 903 57 67



A VOTRE SERVICE DEPUIS 1995