



HFS GROUP



Route de Taillepie 44
1095 Lutry
www.healthsport.ch
info@healthsport.ch
+41 21 903 57 67

Catalogue

Rubber mats

Table of contents

Quick choice chart	4
Ringmats	5
Entrance mats	8
Workplace mats	12
Gym mats	14
Stable mats	16
Trailer mats	18
Stair mats	20
Wet room mats	22
Soil reinforcement mats	25

Quick choice chart

Quickly find the right mat for your application.

Application	ringmats	entrance mats	workplace mats	gym mats	stable mats	trailer mats	stair mats	wet room mats	soil reinforcement mat
Suitable for indoors use	✓		✓	✓	✓	✓	✓	✓	
Suitable for outdoors use	✓	✓			✓	✓		✓	✓
Workshop	✓		✓						
Swimming pool								✓	
Sauna, wellnessruimte								✓	
Fitnessroom				✓					
Stable	✓			✓	✓				
Riding school	✓			✓	✓				✓
Trailer / livestock trailer				✓	✓	✓			
Shipdeck	✓								
Carpark									✓
Page	5	8	12	14	16	18	20	22	25

Property/resistance	ringmats	entrance mats	workplace mats	gym mats	stable mats	trailer mats	stair mats	wet room mats	soil reinforcement mat
Water resistant	✓				✓	✓		✓	✓
Anti slip	✓	✓	✓	✓	✓	✓	✓	✓	✓
Vibration dampening	✓		✓	✓	✓				
Anti-fatigue			✓						
Oil resistant	✓*		✓*						
Sound insulating				✓					
Temperature insulating				✓	✓				
Page	5	8	12	14	16	18	20	22	25

* VR Trade also has these mats in an oil resistant execution in its assortment

Ringmats are suitable for both indoor and outdoors use. They are anti-slip and ideal for workplaces and walkways that are used intensively. In addition, ringmats are excellent as entrance mats. By means of connectors the mats can be coupled to each other and therefore can virtually be given any desired size.

Vera light execution



article code	thickness (mm)	dimensions (mm)	colour	execution	weight (kg)
31010154	18	1200 x 800	black	open	9
31010153	18	1500 x 1000	black	open	15
31010156	22	600 x 400	black	open	2
31010155	22	1000 x 500	black	open	5
31010157	22	1200 x 800	black	open	9
31010150	22	1500 x 1000	black	open	15
31010152	22	1500 x 1000	black	closed	15
31011163	22	2000 x 1000	black	open	20
31010160*	22	1200 x 800	red	open	9
31010158	22	1200 x 800	black	closed	9


* Suitable for oily and greasy workplaces

Vera heavy execution



article code	thickness (mm)	dimensions (mm)	colour	execution	weight (kg)
31010151	23	1500 x 1000	black	open	19
31010149	23	1500 x 1000	black	closed	19

Vera heavy execution with small honeycomb

**Application:**

Suited for wheelchairs, buggies and shopping carts.

article code	thickness (mm)	dimensions (mm)	colour	execution	weight (kg)
31010121	13	500 x 1000	black	open	12
31010148	13	1500 x 1000	black	open	12
31010126	13	1800 x 1000	black	open	12
31000001				connectors	

*connectors are exclusively to be order with the ringmats mentioned above

connectors /brushes




article code		
31000000	connectors	
31000010	brushes	red - blue - yellow - green - grey - black

suitable for the following ringmats:

Vera light execution: 31010156 - 31010154 - 31010157 - 31010153 - 31010150

Vera heavy execution: 31010151


Ringmat with sloping edges



execution : open - oil resistant

article code	thickness (mm)	dimensions (mm)	colour	execution	weight (kg)
31011162	13	1000 x 500	black	open	5
31011159	13	1520 x 910	black	open	15

Ringmat on roll



article code	thickness (mm)	width (mm)	length (mm)	colour
30290180	10	915	10000	black
30290160	10	1830	10000	black

Ringmat Vera heavy execution on roll




article code	thickness (mm)	width (mm)	length (mm)	colour
31010135	13	1000	9240	black

VR Trade has entrance mats in different executions. The profile on the mats retains dust and dirt, ensuring that floors remain clean.

Applications: entrances, workshops.

Entrance mat pyramid design



article code	thickness (mm)	width (mm)	length (mm)	colour
31081164	8	1500	900	black

Entrance mat turtle design



article code	thickness (mm)	width (mm)	length (mm)	colour
31101025	9	1500	900	black

Entrance mat fingertip design



article code	thickness (mm)	width (mm)	length (mm)	colour
31081162	12	1500	900	black

Entrance mat scraper design



article code	thickness (mm)	width (mm)	length (mm)	colour
31101045	8	1720	1100	black

Entrance mat with colored turtle design



article code	thickness (mm)	width (mm)	length (mm)	colour
31101040	8	900	1500	grey
31101048	8	900	1500	blue
31101049	8	900	1500	brown

The fibers of the coir mat provide a rough surface, enabling wiping of shoes to remove and trap dirt before it can be tracked inside. These mats are suited for indoors use only.

Coir mat



article code	thickness (mm)	width (mm)	length (mm)	colour
31205000	17	1000	10000	natural
31205012	17	1000	12500	blue
31205016	17	1000	12500	red
31205111	17	1000	12500	black
31205113	17	1000	12500	grey
31205100	17	2000	10000	natural
31205112	17	2000	12500	blue
31205116	17	2000	12500	red
31205110	17	2000	12500	black
31205114	17	2000	12500	grey

Spaghetti mat



quality : PVC
execution : with open backing

article code	thickness (mm)	width (mm)	length (mm)	colour
31600300	14	1200	12000	red
31600200	14	1200	12000	grey
31600400	14	1200	12000	blue
31600500	14	1200	12000	green
31600600	14	1200	12000	black
31600700	14	1200	12000	orange

Aluminum entrance mat




article code	thickness (mm)	width (mm)	length (mm)	colour
65002001	22	800	500	grey
65002002	22	800	500	blue
65002003	22	800	500	red
65002000	22	800	500	black

Workplace mats are ideal for areas where work is done standing in one place for extended periods of time. The mats are anti-slip, anti-fatigue and have shock and sound absorbing properties. The beveled edges provide additional security to avoid tripping.

Applications: workshops for assembly, production and packaging activities at or behind machinery and counters.

Anti-fatigue mat Soft diamond



execution : upper side diamond profile,
reverse EVA sponge

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31081520	12	900	600	black	4
31081510	12	1525	915	black	5


Ergonomic anti fatigue mat



execution : upperside round studs and sloping edges

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31101020	12	900	600	black	3,2
31101021	12	1200	900	black	8



Anti-fatigue mat soft diamond



execution : upper side rhombic profile with
yellow sloping edges

article code	thickness (mm)	width (mm)	length (mm)	weight (kg)
31081530	11	900	600	5
31081540	11	1200	900	10

Modular mat



quality : SBR/NR (a, b en d)
quality : NBR/NR (c)


article code	thickness (mm)	dimensions (mm)	colour	execution (mm)
31081167	14	900 x 900	black	closed (a)
31081168	14	900 x 900	black	open (b)
31081169*	14	900 x 900	red	open (c)
31081170	13	900 x 900	black	closed with diamond profile
31081175	14	75 x 990	black	edges for type a+b
31081176*	14	75 x 990	red	edges for type c

* oil resistant but does not resist aromatic oils and greases.

Rubber Gym mats are interlocking so that they can easily connect together to provide gym flooring coverage for temporary and non-rectangular exercise spaces as well as areas where gym floor rolls or individual gym mats will not suffice. These heavy-duty rubber gym tiles are constructed of a resilient, heavy-duty rubber that is non-absorbent and treated with an anti-microbial agent to prevent bacterial and odors.

Application: fitness centres, skating and ski arenas


Puzzle mat 1 x 1m



execution : uppside turtleside design, reverse studs

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31081196	18	1000	1000	black	24

Puzzle mat 1.83 x 1.22m



execution : uppside turtleside design, reverse broad ribbed

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31081245	17	1830	1220	black	50


Puzzle mat with black/grey speckles



execution : black/grey speckles

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31081195a	10	1530	910	black/grey	18


Puzzle mat 0,5 x 0,5m



execution : upperside turtle design, reverse broad ribbed

article code	thickness (mm)	width (mm)	length (mm)	colour
31101050	8	500	500	black
31101054	14	500	500	black

Gym mat 1 x 2m



execution : upper side lengthwise broadribbed, reverse with bubbles



article code	thickness (mm)	width (mm)	length (mm)	colour
31081194X	17	1000	2000	black

Stable mats provide performance, durability, and appearance. This 100% recycled rubber livestock flooring provides cushion for animals, while also being resilient against animal secretions. The non-slip surface is easy to clean and maintain.

Application: stables, horse boxes and trailers

Stable mat M40



execution : upper side lengthwise broadribbed,
reverse with bubbles

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31081192	10	1000	2000	black	26
31081194	17	1000	2000	black	40

Stable mat M42



execution : upper side bubbles, reverse cloth
impression

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31081188	10	1200	1500	black	30
31081189	10	1200	2000	black	40


Stable mat M45



execution : upper side non skid profile, reverse broad ribbed.

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31081280	17	1220	1830	black	46

Stable tile




quality : PU bonded recycled rubber
execution : Granulated rubber tiles with connecting pins

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31400188	40	500	1000	black	13
31400189	40	500	1000	red	13

Rearboard mat




execution : upper side profiles, reverse cloth impression



article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31081190	12	1220	2140	black	30
31081182	17	1750	1550	black	34
31081181	27	2400	1200	black	42

Trailer mat M42



execution : upper side lengthwise broadribbed,
reverse with bubbles

article code	thickness (mm)	width (mm)	length (mm)	colour	weight (kg)
31081188	10	1500	1200	black	30
31081189	10	2000	1200	black	40

Trailer mat on roll



execution : both sides cloth impression

article code	thickness (mm)	width (mm)	length (mm)	colour
30280180	8	1800	10000	black
30280200	8	2000	10000	black

Stair mats are suitable for rectangular steps. The mats have an anti-slip profile to prevent from slipping.

Stair mat with stud design



article code	width (mm)	length (mm)	colour
31101200	250	750	black

Stair mat with fingertip design




article code	width (mm)	length (mm)	colour
31101201	250	750	black

Stair mat with checker design



article code	width (mm)	length (mm)	colour
31101203	250	750	black

Stair mat open



article code	width (mm)	length (mm)	colour
31101080	250	750	black

Stair cover with studs



article code	width (mm)	length (mm)	colour
64002000	1200	520	black
64002100	1300	550	black




Wet room mats are suitable for areas with heavy moisture, such as changing rooms, swimming pools and saunas. The soft plastic profiles provide additional comfort and the special drainage canals ensure that the mats are anti-slip.

Applicable areas: swimming pools, locker rooms, sauna

Wet room mat



execution : Soft PVC with ribbed profile and drainage canals



article code	thickness (mm)	width (mm)	length (mm)	colour
65001035	12	600	10000	blue
65001030	12	1000	10000	blue
65003037	12	1200	10000	blue
65001034	12	1000	10000	red
65001036	12	1000	10000	grey
65001038	12	1000	10000	green
65001039	12	1000	10000	mint
65001040	12	1000	10000	yellow
65001041	12	1000	10000	ivory

soil reinforcement mat

The soil reinforcement mat is a plastic ground reinforcement product and is the solution for car parks, pedestrian and cycle paths, picnic areas, golf courses, parks, fire lanes, event areas and horse paddocks, domestic driveways, airfield runways, taxi ways, reinforcement of roadsides, banks, shores and slopes. The mat is a sustainable ground reinforcement tile that provides excellent water drainage.

Soil reinforcement mat



article code	type	thickness (mm)	dimensions (mm)	colour
316000110	a	30	790 x 592	black
316000120	b	40	1330 x 1000	black
316000130	c	50	1330 x 1000	black