

01	
HDPE Loc	;

HDPE Lockers	01
Γ-H385XXL Series	02
Γ-H385L Series	03
Γ-H385M Series	04
Г-Н385S	05
Г-Н320S	06
Γ-H450L	07
Γ-H450XL	08
Γ-H500XL	08
ock Options	10
Application	12

# 

WeatherResistant Lockers	
T-W390 Series	14
T-W450 Series (P55)	15
Application	16
HDPE Locker Series Comparison	17

# 

Cube Lockers	18	
T-I385E-42	19	
T-I330E-42	20	
T-I320S	21	

## 

ABS Lockers	22
T-B382L	23
T-B382M	24
T-B382S	25
T-B382E	26
T-B382XXL	27
T-B382XL	28
T-B382 4E	29
T-B382M-42	30
T-B382E-42	31
T-B400F	32
T-B330E	33
T-B355E	34
T-B360F-45	35
T-B360E-45	35
T-B480L	36
T-B480XXL	37
Colours / Details	38
Lock Options	39

## 

Smart Lockers	41
SM6 Intelligent Storage Cabinet with Card Swiping and Password	44
Function	

## 

Charging Loc	ckers	43
T-280S / T-280	)F / T-280E	44
Application		44

## 

Storage Cabinet	45
TPL-B900S1	46
TPL-B900L1	46
TPL-B900S2	46
TPL-B900L2	46
Details	47
Application	47

# 

Plastic Shed	48

Portable Toilet	50
1 Oftable Tollet	50

## **HDPE Lockers**

- UV/rust/corrosion/bacterial resistant
- Patented design
- Adjustable shelves available to purchase
- Multiple lock options
  Wide range of locker door colour choice
  Recyclable, environmentally friendly
- Washable, easy to clean
- Low maintenance
- Both indoor & outdoor usage
- Indoor warranty 20 years
- Outdoor under cover warranty 8 years

### **Locker Door Colours**







Red





Yellow

Grey







Green

Coffee





## **T-H385L Series** 910H×385W×500D mm







T-H385L/2









T-H385L/3

T-H385L/4




Locker carcass adopts integrated design and the locker compartment can be divided into 2/3/4 doors configurations using dividing particles of Suitable for schools, mines, food factories, resorts, hotels, offices and and many other applications.

Can be stacked 2 high.









T-H385M

T-H385M/2



Locker carcass adopts integrated design and the locker compartment can be divided into 2 doors configurations using dividing panels Suitable for schools, mines, food factories, resorts, hotels, offices and many other applications.

Can be stacked 2 and 3 high..






T-H385S

460H×385W×500D mm





Locker carcass adopts integrated design.
Suitable for schools, offices aand many other applications with limited space.
Can be stacked 2, 3 and 4 high.





T-H320S

460H×320W×460D mm






Locker carcass adopts integrated design.
Suitable for schools, offices and many other applications with limited space.
Can be stacked 2, 3 and 4 high.











Suitable for schools, mines, food factories, resorts, hotels, offices and many other applications.. Can be stacked 2 high.



### T-H450XL & T-H500XL

T-H450XL: 1340H×450W×450D mm T-H500XL: 1230H×500W×470D mm







Suitable for schools, mines, food factories, resorts, hotels, offices and many other applications..




Regular combination

### **Regular combination**





### Irregular combination













Assembly key

## Item No. : TL-A3 Keylock

Material: Zinc alloy Finish: Bright chrome Key Code: 10,000 Features: 1. Master key available for

- emergency opening 2. Replaceable lock barrel



Item No. : TL-A6 Lock Hasp

Material: Zinc alloy Finish: Bright chrome Feature: Accommodate up to 10mm padlock shackle.





Brass Combination Pad Lock

Item No.: TL-A8

Material: Brass body and steel with chrome plated shackle Feature: Master key available for emergency opening



Lock Options





Item No.: TL-A1 4-Digit Combination Lock

Material: ABS Features:

- 1. Keyless convenience
- 2. User to set own code combination
- 3. Private mode only
- 4. Master key available for emergency opening and to retrieve lost code





Material: Zinc alloy Colour: Nickel

Power supply: 4x AAA alkaline batteries Features:

1. Digital keypad electronic lock

functioned by entry of a 4-digit number

- 2. Available in public or private modes.3. Battery life: 12 months
- 4. Emergency power supply
- 5. Master code for emergency opening





Master key

#### Item No.: TL-A17 Round Combination Lock

Material: Zinc alloy housing and dials Features:

- 1. Keyless convenience
- 2. User to set own code combination
- 3. Private mode only
- 4. Master key available to retrieve lost code





Main admin key



User key





Admin key



Power supply: 2x AA alkaline batteries

- 2. Input voltage: DC3V

ItemNo.: TL-A14 RFID Lock Material: ABS Colour: white

- 3. Opening mode: induction
- 4. Use condition: temperature -15°C~65°C; humidity 5%~95%
- 5. Three-level management: Master, sub-master, user
- 6. Master key available for emergency opening





Coin retain box



Coin box for collecting users' charge

#### Item No.: TL-A13 Coin Operated Lock

Material: ABS, zinc alloy Key code: 10,000 Features:

- 1. Coin return and coin retain options available.
- 2. Suitable for AUD 1 dollar coins.
- 3. Coin box could accommodate up to 80 coins.





Master key

#### Item No. : TL-A51 **Push Button Keypad Lock**

Material:Zincalloy Colour: Black

Powersupply:CR2450 coin battery Features:

- 1. Keypad operation: More durable and easier operation.
- 2. All metal housing: Durable with 10mm lock housing.
- 3. Master key available for emergency opening.
- 4. Three-level management: Master, Sub-master, User.
- 5. Public and Private mode: Same lock can switch between public mode and private mode freely.



















## Weather Resistant Gen 1 T-W390 Series







T-W390S

T-W390L T-W390M

### **Colour Options**

Locker Carcass

Locker Door Colour













Coffee

Other Code

Code	External Dimensions	
T-W390L	910H×390W×500D mm	
T-W390M	610H×390W×500D mm	
T-W390S	460H×390W×500D mm	



The sealed door The locker door fully covered the locker carcass, 
This waterproof lockers is specially which effectively enhances the resistant performance and the locker is just seamless




Water isolation slot designed with isolation slot which leads the water to fall down to the door



Water strip design Isolating the water and leading the water to the floor. Prevent rain water from entering into the locker inside from door hinges

#### Schematic








## Weather Resistant Gen 2 T-W450 Series





T-W450M T-W450S

### **Colour Options**

Locker Carcass



Locker Door Colour





Grey

**Navy Blue** 



Green

Marble

Yellow

Red

Coffee

#### Other Code

	Code	External Dimensions		
	T-W450L *	910H×450W×500D mm		
	T-W450M	610H×450W×500D mm		
	T-W450S	460H×450W×500D mm		

\* Coming soon


#### **Pad Latch Set**

#### Item No.: TL-A6

- •Made from zinc alloy.
- •Bright chrome finish.
- •Takes up to 10mm diameter shackles for heavy duty padlocks.
- •Anti-pry latch mechanism.
- •Unique shaped camlock hooks over the latch plate tightening the door seal during locking.



T-W450M / Details





Perfect for school and business use, where internal space is at a premium. The weather and UV resistant HDPE locker adds an outdoor dimension to storage locations, from pools and water parks, to yards, gardens and out-buildings.






## **HDPE Locker Series Comparison**



**HDPE Locker** 


T-H385 series HDPE locker

#### Carcass/Door



#### **Sloping Top**

Blow Moulded. Shared Top with T-W390 Series



Bottom

**Locker Base** 

Blow moulded base with provision for adjustable feet levelers. If floor fixing required, use the weather resistant 1st Gen base.



Bottom

Top

Тор



Bottom

Injection moulded.

Shared Shelf with T-W450 Series


Shelf

Injection moulded.

Shared Shelf with T-W390 Series




T-H450L HDPE locker



Integrated hook. Provision for

Roto Moulded. Shared Top with T-W450 Series




Bottom

Roto moulded base with provision for adjustable feet levelers or floor fixing bolts.







Top

Bottom

Injection moulded.

Shared Shelf with T-H385 Series



T-W390 series weather resistant locker (1st Gen)

Door inset into the carcass, with a dividing panel to allow various door configurations with the different height carcass options.


Partially curved door with a smooth surface. Marbled finish to the





Door with fixed seal.


Blow Moulded. Shared Top with T-H385 Series



Top


Тор Bottom

Roto moulded base with provision for adjustable feet levelers or floor fixing bolts. Use of a base avoids the door bottom edge hitting the ground.




Top

Тор



Bottom

Bottom




Тор



Bottom



T-W450 series weather resistant locker (2nd Gen



Partially curved door with a smooth surface. Marbled finish to the carcass.





Sloping design to eaves and door prevents water penetrating the locker space.

Door with removable seal.

Roto Moulded. Shared Top with T-W450 Series



Тор Bottom

Roto moulded base with provision for adjustable feet levelers or floor fixing bolts.






Bottom

Top






Тор




Bottom


## **Cube Locker**

- UV Resistant HDPE Material
- Impact Resistant
- . Corrosion Resistant



**T-I385E-42** 361H×386W×420D mm









The window of the locker door is designed to facilitate the management of items in the locker.


It is suitable for campus, enterprise, and many other applications, as a small school bag locker or office locker, and ideal for gyms and pool Locks can be selected according to needs to achieve security management.





T-I330E-42 361H×333W×418D mm







The window of the locker door is designed to facilitate the management of items in the locker.

It is suitable for campuses, enterprises, and a variety of other settings - perfect as a small school bag locker, office locker, or for use in gyn and swimming pools.

Locks can be selected according to needs to achieve security management.



T-I320S

498H×323W×450D mm







It is suitable for campuses, enterprises, and a variety of other settings - perfect as a small school bag locker, office locker, or for use in gym and swimming pools. Locks can be selected according to needs to achieve security management.



# ABS GENERATION

- Safer (protective soft door corner design)
- Easier to clean (smoother inside surface)
- More convenient for installation (door/door plate to be assembled before dispatching)

• Sleek frameless design




:025	:026;	:025:	:026;	:025
:026:	:022	:026:	1022	:026:
1025	:026:	:025	:026;	10251
:026:	:022	1026;	1022:	:026:

● T-B382L / Size T-B382L / Application ●

**T-B382L** 1020H×382W×500D mm








The integrated solution of this ABS locker is suitable for a range of different scenarios including the energetic gym or the calm office.



Standard combination: 2 tiers/column, 1-5 columns/group.







The integrated solution of this ABS locker is suitable for a range of different scenarios including the energetic gym or the office.









T-B382S

555H×382W×500D mm








It can be used as a campus locker with large internal storage space, convenient for students to store school bags, textbooks, water cups, lunch boxes among other items. The lockers can be placed in the back of the classrooms, aisles, corridors, libraries, gymnasiums and other locations.
















### **T-B382XXL**


1950H×382W×500D mm







The locker has a large internal space. Perfect for hanging clothes, or use shelves to separate the space for different uses.





Standard combination: 1 tier/column, 1-5 columns/group.









The single door locker is large enough to store large items and is ideal for dormitories, gyms and in aquatic centres.



T-B382 4E

1320H×382W×500D mm












**T-B382M-42** 710H×382W×420D mm














T-B382E-42

400H×382W×420D mm













450H×400W×470D mm







Combination of cleaning tool locker (model: T-H500XL) and school bag locker (model:T-B400F)









T-B400F / Application

T-B330E

380H×330W×460D mm







Orderly arrangement and combination to meet the daily environment use.


The locker can be used with the tool locker to meet the functional needs of the classroom.








365H×355W×400D mm












With the cushion, a 1 tier locker combination can be used for seating.


Standard combination: 6 tiers/column, 1-5 columns/group.


**T-B360F-45** 450H×360W×450D mm

001 -[ 001 001 001 001 001 001 2010mm 001 001 001 001 001 1080mm




**T-B360E-45** 
















1970H×480W×500D mm









Color / Details

We provide over 12 colours for flexible choice; other colour can be customised.

#### **Product/Details**

#### Material:

- ABS (Acrylonitrile butadiene styrene) plastic
- · High strength, impact resistant
- Non-toxic and durable

#### Technology:

- Injection
- . Knocked-down design

#### Features:

- Long towel hanging rod
- Bigger multi-function box
- Soft corner for safety
- . Sleek frameless design
- Smooth design on the inside of locker, easy to clean
- Unique hinge for easy replacement
- Back board with holes for better ventilation






Ventilation holes


Hook








**Assembly Guide** 




































## Item No. : TL-A3 Keylock

Material: Zinc alloy Finish: Bright chrome Key Code: 10,000 Features:

Master key
 Replaceable lock barrel



Item No. : TL-A6 Lock Hasp

Material: Zinc alloy Finish: Bright chrome



Locksets Locksets •





Item No.: TL-A8 **Brass Combination Pad Lock** 

Material: Brass body and steel with chrome plated shackle Feature:

1. Master key available for emergency opening









Coin box for collecting users' charge

#### Item No. : TL-A13 **Coin Operated Lock**

Material: ABS, zinc alloy Key code: 10,000

Features:

- 1. Coin return and coin retain options available.
- 2. Suitable for AUD 1 dollar coins.
- 3. Coin box could accommodate up to 80 coins.





power supply

#### IItem No.: TL-A16N **Digital Keypad Lock**

Material: ABS Plastic

Power supply: 3 x AA alkaline batteries

#### Features:

- 1. Service life: Up to 30,000 locking cycles
- 2. Static power: ≤40uA
- 3. Dynamic power: ≤100mA
- 4. Use condition:

Temperature: -15°C~+60°C Humidity: 15%~90%





#### Item No.: TL-A1 **4-Digit Combination Lock**

Material: ABS

- Features:
- 1. Keyless convenience
- 2. User to set own code combination
- 3. Private mode only
- 4. Master key available for emergency opening and to retrieve lost code











User key







Admin key Main admin key

#### Item No.: TL-A5N **RFID Lock**

Material: ABS plastic

Power supply: 3 x AA alkaline batteries

- 1. System: Mifare 13.56MHz
- 2. Battery life: 10-12 months 3. Undervoltage alarm point: 3.3±0.2V
- 4. Opening mode: Induction
- 5. Emergency power supply available



# **Smart Locker Series**

The storage needs in daily life are diverse. Through analysing and studying users' storage scenarios, storage habits, storage needs and other aspects, Amezeus smart lockers has proposed a variety of solutions, using lockers as a carrier and applying smart systems such as cards and passwords.

Card scanning and password smart locker can be be applied to to 2-layers, 3-layers, 4-layers, 6-layers and flexible columns combination (recommended 72 cabinets combination); The door has over 12 colours for flexible choice.

Two modes (card and password) can be used at the same time or switched freely for different scene requirements, which is more flexible for centralised management. Storage data can be traced back, and the security factor is improved. Unmanned management

reduces labour costs and improves storage efficiency. The locker model and intelligent system can be selected and set according to the specific usage scenario, and the diversified scene requirements can be realised through different module combinations.



HFS GROUP

 SM6 / Intelligent Storage Cabinet with Card Swiping and Password Function Application •

### **Smart locker - SM6 Smart Storage Cabinet**



#### Control panel parameters

Operation mode	stand-alone mode/networking mode
Screen	HD touch screen, 7 inches, 1024 * 600 screen
Communication interface	1*LAN, 2*USB, 1*RS485, 2*serial communication
Input voltage	AC86V ~264V/47~63Hz
Support types	IC card, ID card, HID card, CPU card, etc.
Chip	Arm Cortex-A17 quad-core 1.8GHz
Card reading distance	< 50mm
IC card capacity	10,000 people
Storage module	2GB+8GB
Operating system	Android
Unpacking records	10,000 records, automatically overwritten, loop recording
Ambient temperature	-10°C ~ 55°C, humidity: 10% ~ 80%
Power supply	DC 12V / 3A 36W
Installation method	built-in cabinet installation

#### Operation process:

#### Card Swiping Mode.

a.Deposit Process:



designated area















Put the items in and close the cabinet door





designated area









The corresponding cabinet door opens

Take out the items and close the cabinet door

#### Password Mode:

a.Deposit Process:



password





cabinet door



Open the corresponding Put the items in and close the cabinet door

### **b.** Retrieving Process:



password




cabinet door opens






Put the items in and close the cabinet door









**Charging Locker** 



Multiple configurations of GPO and USB outlets to choose from.



Secure storage and convenient charging at the same time. Removes the need for a portable power bank.



Certified socket, stable voltage and current, ensure safety.

**Charging Locker** 

T-280S / T-280F / T-280E





**T-280S** 460H×280W×380D mm



**T-280F** 300H×280W×380D mm



**T-280E** 200H×280W×380D mm















Safe wire arrangement

Using high-quality wire to ensure safety of users and property; professional arrangement of wire to reduce the electrical resistance, hence to improve charging efficiency.


Rated voltage/Rated current
Customised

**General switch**To control all sockets in each locker, offering fast power cutting-off in case of emergency



#### **Storage Cabinet** TPL-B900L1







#### **Combination method**

The product can be stacked and used in multiple layers





TPL-B900S1 Three-storey



TPL-B900L1 Two-storey




Multi-model Combination

#### **Storage Cabinet** TPL-B900S2




#### **Storage Cabinet** TPL-B900L2



#### **Combination method**

The product can be stacked and used in multiple layers



TPL-B900S2 Two-storey



TPL-B900S2 Three-storey



TPL-B900L2 Two-storey



Multi-model Combination

#### **Optional Accessories**



Without Vertical Partitions and shelf



Large shelf



Vertical Partition+Small shelf

### **Optional Accessories**



Without Vertical Partitions and shelf



Large shelf




Vertical Partition+Small shelf



Details









# Amezeus Route de Taillepied 44, 1095 Lutry, Switzerland direction@amezeus.com / amezeus.com (+41) 21 903 57 67