

BORNES URBAINES FLEXIBLES

Bornes résistantes aux chocs, fixes ou amovibles, avec accessoires et personnalisation

CATALOGUE 2023

AME Z EUS



HEALTH FIT & SPORT
A VOTRE SERVICE DEPUIS 1995

THE LONGEST-LASTING AND SAFEST BOLLARD IN THE MARKET.

Augustaflex® impact resistant steel bollards are an extremely long-lasting and cost effective solution for safe, tidy and aesthetically cutting-edge streets and car parks. Thanks to the patented Augustaflex® system featuring disc springs, the bollards bend in any direction if they are hit by cars or bumped up against during clumsy parking manoeuvres, so over **the years they do not require even a minimal amount of maintenance, considerably improving street appearance and safety.**


AUGUSTAFLEX® FLEXIBLE STEEL BOLLARDS



NO MORE DAMAGED BOLLARDS AND THE REPAIR AND MAINTENANCE EXPENSES

With Augustaflex®, it is now possible to cut the expense of repairing and maintaining damaged bollards, an increasingly urgent issue that so often imposes very high costs on individual municipal administrations or car park operators.

INITIAL COST VS COST OF MAINTENANCE OVER THE YEARS



The estimate: One bollard repair per year

ASIDE FROM PROVIDING FINANCIAL SAVINGS, AUGUSTAFLEX® BOLLARDS ALSO BOOST ROAD SAFETY AND THE TIDY, ORDERLY APPEARANCE OF CITIES.

PERFECT TO ENSURE SAFETY AND PROTECTION. STYLISH SECURITY.

The degree of rigidity of Augustaflex® bollards to impacts has been studied and scientifically calibrated, making them the perfect solution for preventing parking or vehicle transit in specific areas, as well as ensuring pedestrian safety. The patented Augustaflex® is sturdy on impact, the bollards remain upright even in the event of vandalism or human interactions.

DESIGN, AESTHETICS AND ELEGANCE OF STEEL.

The bollards with the Augustaflex® system are made of steel or stainless steel, materials that have always been the most valued and used in urban planning and architecture due to their appearance and longevity. Steel bollards blend in perfectly with any type of architectural surroundings, representing the perfect combination of aesthetics, function and sustainability, the top objectives of any street furniture project.



VALUE FOR URBAN PROJECTS. SUSTAINABILITY AND LONGEVITY.

Urban planning projects featuring Augustaflex® bollards **maintain their integrity and appearance over the years.** This is why their use is particularly advisable not only **in the most critical areas, but especially in city centres, near public buildings and in areas with high levels of tourism.** Augustaflex® spring bollards stand out due to their longer life cycle, which also makes them more sustainable.



BENEFITS.

NEAT AND ORDERLY APPEARANCE
OF ROADS OVER THE YEARS

LOWER MAINTENANCE
EXPENSES

BETTER ROAD SAFETY

SUSTAINABILITY,
LONGER LIFE CYCLE

ELEGANCE, QUALITY AND
AESTHETICS OF STEEL



FOR AREAS OF TOURIST INTEREST



5-YEAR GUARANTEE.

FOR CONDOMINIUMS, HOTELS



FOR CITY COUNCILS



FOR SHOPPING MALLS



FOR THE CITY CENTERS



CHURCH

ART. ARCH60, ARCH76



D60mm / D76mm

Standard height:
100 cm above ground



Material: galvanised and
powder coated steel

Colour: charcoal grey



CLAUDIA

ART. ARCL60, ARCL76



D60mm / D76mm

Standard height:
100 cm above ground



Material: galvanised and
powder coated steel

Colore: antracite



AUGUSTAFLEX®. STEEL BOLLARDS WITH INTEGRATED FLEXIBLE SYSTEM

5-YEAR GUARANTEE.

1. Bollard with threaded ground sleeve to be cemented.
2. Bollard with ground plate and eight anchor bolts for concrete surfaces.

REMOVABLE VERSIONS

The triangular key is a universal key which facilitates their removal in urgent situations by fire brigades, the police, etc.

3. External triangular keylock.
Bollard with ground sleeve to be cemented.
The bollard can be easily removed in just a few seconds using a triangular key, by turning the lock located at surface level. The cap for the ground sleeve is included.
4. Internal triangular keylock.
Bollard with ground sleeve to be cemented.
The internal triangular keylock is accessible after raising the bollard 15 cm from the sleeve. In the standard position, the lock is not visible. The bollard can be removed using a triangular key.
5. Bayonet closure.
Bollard with ground sleeve to be cemented.
The bollards can be removed with no special equipment or key, by twisting it out of the slots on the lower part of the bollard. The cap for the ground sleeve is provided as an accessory.

STEEL BOLLARDS WITHOUT AUGUSTAFLEX®. FIXED.

6. Bollard with base plate for concrete surfaces.
7. Bollard to be cemented.

REMOVABLE WITH TRIANGULAR LOCK

8. Bollards that can be removed using a triangular key, with sleeve to be cemented.
The self-closure mechanism makes it possible to remove the bollard in just a few seconds using a triangular key, sleeve included.



Aesthetically, Augustaflex® bollards look no different from conventional fixed steel ones, so within one project or installation, different versions may be used: flexible with Augustaflex® and conventional fixed or removable, with the Augustaflex® bollards used in more critical areas with a high risk of damage.

DORIA

ART. ARD060, ARD076



D60mm / D76mm



Standard height:
100 cm above ground



Material: galvanised and
powder coated steel

Colore: antracite





AUGUSTAFLEX®. DISSUASORI IN ACCIAIO CON SISTEMA FLESSIBILE INTEGRATO

5-YEAR GUARANTEE.

1. Bollard with threaded ground sleeve to be cemented.
2. Bollard with ground plate and eight anchor bolts for concrete surfaces.

REMOVABLE VERSIONS

The triangular key is a universal key which facilitates their removal in urgent situations by fire brigades, the police, etc.

3. External triangular keylock.
Bollard with ground sleeve to be cemented.
The bollard can be easily removed in just a few seconds using a triangular key, by turning the lock located at surface level. The cap for the ground sleeve is included.
4. Internal triangular keylock.
Bollard with ground sleeve to be cemented.
The internal triangular keylock is accessible after raising the bollard 15 cm from the sleeve. In the standard position, the lock is not visible. The bollard can be removed using a triangular key.
5. Bayonet closure.
Bollard with ground sleeve to be cemented.
The bollards can be removed with no special equipment or key, by twisting it out of the slots on the lower part of the bollard. The cap for the ground sleeve is provided as an accessory.

STEEL BOLLARDS WITHOUT AUGUSTAFLEX®. FIXED.

6. Bollard with base plate for concrete surfaces.
7. Bollard to be cemented.

REMOVABLE WITH TRIANGULAR LOCK

8. Bollards that can be removed using a triangular key, with sleeve to be cemented.
The self-closure mechanism makes it possible to remove the bollard in just a few seconds using a triangular key, sleeve included.



Aesthetically, Augustaflex® bollards look no different from conventional fixed steel ones, so within one project or installation, different versions may be used: flexible with Augustaflex® and conventional fixed or removable, with the Augustaflex® bollards used in more critical areas with a high risk of damage.



CHAMPS ELYSEES



D60mm



Standard height:
120 cm above ground

ART. ARCL60, ARCL76



Material: galvanised and
powder coated steel



Colour: charcoal grey,
charcoal grey and white



Variant with white head

1 2 3 4 5 6 7 8



GEORGE

ART. ARGE60, ARGE76



D60mm / D76mm



Standard height:
100 cm above ground



Material: galvanised and
powder coated steel




Colour: charcoal grey,
charcoal grey and white



Variant with white head

1 2 3 4 5 6 7 8



AUGUSTAFLEX®. DISSUASORI IN ACCIAIO CON SISTEMA FLESSIBILE INTEGRATO

5-YEAR GUARANTEE.

1. Bollard with threaded ground sleeve to be cemented.
2. Bollard with ground plate and eight anchor bolts for concrete surfaces.

REMOVABLE VERSIONS

The triangular key is a universal key which facilitates their removal in urgent situations by fire brigades, the police, etc.

3. External triangular keylock.
Bollard with ground sleeve to be cemented.
The bollard can be easily removed in just a few seconds using a triangular key, by turning the lock located at surface level. The cap for the ground sleeve is included.
4. Internal triangular keylock.
Bollard with ground sleeve to be cemented.
The internal triangular keylock is accessible after raising the bollard 15 cm from the sleeve. In the standard position, the lock is not visible. The bollard can be removed using a triangular key.
5. Bayonet closure.
Bollard with ground sleeve to be cemented.
The bollards can be removed with no special equipment or key, by twisting it out of the slots on the lower part of the bollard. The cap for the ground sleeve is provided as an accessory.

STEEL BOLLARDS WITHOUT AUGUSTAFLEX®. FIXED.

6. Bollard with base plate for concrete surfaces.

7. Bollard to be cemented.

REMOVABLE WITH TRIANGULAR LOCK

8. Bollards that can be removed using a triangular key, with sleeve to be cemented.
The self-closure mechanism makes it possible to remove the bollard in just a few seconds using a triangular key, sleeve included.



Aesthetically, Augustaflex® bollards look no different from conventional fixed steel ones, so within one project or installation, different versions may be used: flexible with Augustaflex® and conventional fixed or removable, with the Augustaflex® bollards used in more critical areas with a high risk of damage.

NINA

ART. ARNI60, ARNI76



D60mm / D76mm



Standard height:
100 cm above ground



Material: galvanised and
powder coated steel



Colore: antracite

1 2 3 4 5 6 7 8



ISEMAR

ART. ARIS60, ARIS76





D60mm / D76mm

Standard height:
100 cm above ground



Material: stainless steel

Colore: acciaio grigio



ZIRCO

ART. ARZI60, ARZI76





D60mm / D76mm

Standard height:
100 cm above ground



Material: stainless steel

Colore: acciaio grigio



AUGUSTAFLEX®. DISSUASORI IN ACCIAIO CON SISTEMA FLESSIBILE INTEGRATO

5-YEAR GUARANTEE.

1. Bollard with threaded ground sleeve to be cemented.
2. Bollard with ground plate and eight anchor bolts for concrete surfaces.

REMOVABLE VERSIONS

The triangular key is a universal key which facilitates their removal in urgent situations by fire brigades, the police, etc.

3. External triangular keylock.
Bollard with ground sleeve to be cemented.
The bollard can be easily removed in just a few seconds using a triangular key, by turning the lock located at surface level. The cap for the ground sleeve is included.
4. Internal triangular keylock.
Bollard with ground sleeve to be cemented.
The internal triangular keylock is accessible after raising the bollard 15 cm from the sleeve. In the standard position, the lock is not visible. The bollard can be removed using a triangular key.
5. Bayonet closure.
Bollard with ground sleeve to be cemented.
The bollards can be removed with no special equipment or key, by twisting it out of the slots on the lower part of the bollard. The cap for the ground sleeve is provided as an accessory.

STEEL BOLLARDS WITHOUT AUGUSTAFLEX®. FIXED.

6. Bollard with base plate for concrete surfaces.
7. Bollard to be cemented.

REMOVABLE WITH TRIANGULAR LOCK

8. Bollards that can be removed using a triangular key, with sleeve to be cemented.
The self-closure mechanism makes it possible to remove the bollard in just a few seconds using a triangular key, sleeve included.



Aesthetically, Augustaflex® bollards look no different from conventional fixed steel ones, so within one project or installation, different versions may be used: flexible with Augustaflex® and conventional fixed or removable, with the Augustaflex® bollards used in more critical areas with a high risk of damage.

GLORIA

ART. ARGL60, ARGL76



D60mm / D76mm

Standard height:
100 cm above ground



Galvanised and powder coated steel

Colore: antracite



EQUIPMENT

HOOK SPANNER  **D60/D76 MM**

for the installation of the Augustaflex® with threaded ground sleeve or ground plate.



TRIANGULAR KEY

to remove the bollards with the triangular key lock.



CAPS

CAP I

for threaded ground sleeve



CUSTOMISATION

RAL COLOURS



CAP II

for ground sleeve of removable Augustaflex® bollards with external closure, included



REFLECTIVE STRIPS



CAP III

for removable bollards without Augustaflex® and for Augustaflex® bollards with internal triangular keylock and bayonet closure.



STEEL RINGS AND CHAIN



EXAMPLES OF CUSTOM BOLLARDS



CUSTOM DESIGN

Our technical department is always at your disposal to create customized bollards according to your requests and needs.



REQUEST



STUDY AND DESIGN



PRICE CALCULATION



PRODUCTION

AUGUSTAFLEX®