


AMEZEUS

CATALOGUE PRODUITS

CASIERS SYNTHÉTIQUES

Casiers en polyéthylène haute densité.
Solutions de rangement pour les espaces collectifs.

Route de Taillepied 44
1095 Lutry, Suisse

direction@amezeus.com

+41 21 903 57 67
amezeus.com

Contents

01

HDPE Lockers **01**

T-H385XXL Series 02
T-H385L Series 03
T-H385M Series 04
T-H385S 05
T-H320S 06
T-H450L 07
T-H450XL 08
T-H500XL 08
Lock Options 10
Application 12

02

WeatherResistant Lockers **13**

T-W390 Series 14
T-W450 Series IP55 15
Application 16
HDPE Locker Series Comparison 17

03

Cube Lockers **18**

T-I385E-42 19
T-I330E-42 20
T-I320S 21

04

ABS Lockers **22**

T-B382L 23
T-B382M 24
T-B382S 25
T-B382E 26
T-B382XXL 27
T-B382XL 28
T-B382 4E 29
T-B382M-42 30
T-B382E-42 31
T-B400F 32
T-B330E 33
T-B355E 34
T-B360F-45 35
T-B360E-45 35
T-B480L 36
T-B480XXL 37
Colours / Details 38
Lock Options 39

05

Smart Lockers **41**

SM6 Intelligent Storage Cabinet with Card Swiping and Password Function 44

06

Charging Lockers **43**

T-280S / T-280F / T-280E 44
Application 44

07

Storage Cabinet **45**

TPL-B900S1 46
TPL-B900L1 46
TPL-B900S2 46
TPL-B900L2 46
Details 47
Application 47

08

Plastic Shed **48**

09

Portable Toilet **50**

HFS GROUP

HDPE Lockers

- UV/rust/corrosion/bacterial resistant
- Patented design
- Adjustable shelves available to purchase
- Multiple lock options
- Wide range of locker door colour choice
- Recyclable, environmentally friendly
- Washable, easy to clean
- Low maintenance
- Both indoor & outdoor usage
- Indoor warranty 20 years
- Outdoor under cover warranty 8 years
-

Locker Door Colours



Navy Blue



Red



Yellow



Grey



Green




Coffee


T-H385XXL Series / Size

T-H385XXL Series


1810H×385W×500D mm




T-H385XXL




T-H385XXL/2




T-H385XXL/3



T-H385XXL/4



T-H385XXL/6




T-H385XXL/8

Units could be stacked and banked to meet floor plan requirements.

T-H385L Series


910H×385W×500D mm




T-H385L



T-H385L/2



T-H385L/3



T-H385L/4

Units could be stacked and banked to meet floor plan requirements.



Locker carcass adopts integrated design and the locker compartment can be divided into 2/3/4 doors configurations using dividing pa
Suitable for schools, mines, food factories, resorts, hotels, offices and and many other applications.
Can be stacked 2 high.



HFS GROUP

T-H385M Series

610H×385W×500D mm



T-H385M



T-H385M/2


Units could be stacked and banked to meet floor plan requirements.



Locker carcass adopts integrated design and the locker compartment can be divided into 2 doors configurations using dividing panels
Suitable for schools, mines, food factories, resorts, hotels, offices and many other applications.
Can be stacked 2 and 3 high..



T-H385S
460H×385W×500D mm



Units could be stacked and banked to meet floor plan requirements.



Locker carcass adopts integrated design.
Suitable for schools, offices aand many other applications with limited space.
Can be stacked 2, 3 and 4 high.




HFS GROUP

T-H320S
460H×320W×460D mm



Units could be stacked and banked to meet floor plan requirements.




Locker carcass adopts integrated design.
Suitable for schools, offices and many other applications with limited space.
Can be stacked 2, 3 and 4 high.



T-H450L

910H×450W×500D mm



* The width of this product is larger than that of the T-H385 series, reaching 450mm

Units could be stacked and banked to meet floor plan requirements.



Suitable for schools, mines, food factories, resorts, hotels, offices and many other applications..
Can be stacked 2 high.



T-H450XL & T-H500XL

T-H450XL: 1340H×450W×450D mm
T-H500XL: 1230H×500W×470D mm



Units could be stacked and banked to meet floor plan requirements.



Suitable for schools, mines, food factories, resorts, hotels, offices and many other applications..



Regular combination





Irregular combination





HFS GROUP

Multiple Lock Options

We can supply various high quality locks to suit your need.
For more info, please visit_____





Master key



Assembly key

Item No. : TL-A3
Keylock

Material: Zinc alloy
Finish: Bright chrome
Key Code: 10,000
Features:
1. Master key available for emergency opening
2. Replaceable lock barrel



Item No. : TL-A6
Lock Hasp

Material: Zinc alloy
Finish: Bright chrome
Feature:
1. Accommodate up to 10mm padlock shackle.





Master key

Item No. : TL-A8
Brass Combination Pad Lock

Material: Brass body and steel with chrome plated shackle
Feature: Master key available for emergency opening





Master key

Item No. : TL-A1
4-Digit Combination Lock

Material: ABS
Features:
1. Keyless convenience
2. User to set own code combination
3. Private mode only
4. Master key available for emergency opening and to retrieve lost code



Item No. : TL-A21
Digital Keypad Lock
Material: Zinc alloy
Colour: Nickel
Power supply: 4x AAA alkaline batteries
Features:
1. Digital keypad electronic lock functioned by entry of a 4-digit number
2. Available in public or private modes.
3. Battery life: 12 months
4. Emergency power supply
5. Master code for emergency opening





Master key

Item No. : TL-A17
Round Combination Lock
Material: Zinc alloy housing and dials
Features:
1. Keyless convenience
2. User to set own code combination
3. Private mode only
4. Master key available to retrieve lost code





User key



Admin key



Main admin key



Master key

ItemNo. : TL-A14
RFID Lock

Material: ABS
Colour: white
Power supply: 2x AA alkaline batteries
Features:
1. Frequency: MIFARE 13.56MHz.
2. Input voltage: DC3V
3. Opening mode: induction
4. Use condition: temperature -15℃~65℃; humidity 5%~95%
5. Three-level management: Master, sub-master, user
6. Master key available for emergency opening





Coin retain box



Coin box for collecting users' charge

Item No. : TL-A13
Coin Operated Lock

Material: ABS, zinc alloy
Key code: 10,000
Features:
1. Coin return and coin retain options available.
2. Suitable for AUD 1 dollar coins.
3. Coin box could accommodate up to 80 coins.






Master key

Item No. : TL-A51
Push Button Keypad Lock

Material:Zincalloy
Colour: Black
Powersupply:CR2450 coin battery
Features:
1. Keypad operation: More durable and easier operation.
2. All metal housing: Durable with 10mm lock housing.
3. Master key available for emergency opening.
4. Three-level management: Master, Sub-master, User.
5. Public and Private mode: Same lock can switch between public mode and private mode freely.













HFS GROUP



Weather Resistant Locker

IP55

- Highly resistant to impact damage.
- Designed for use with custom designed anti-pry pad latch.
- Accommodates heavy duty padlocks with up to 10mm shackle diameter.
- 316 stainless steel lock plates.
- Patented design.
- Adjustable shelves available to purchase.
- Wide range of locker door colour choice.
- 100% recyclable HDPE material.
- Washable, low maintenance.
- Easy to clean.

Water & Dust Resistant

UV Resistant HDPE Material


Impact Resistant

Corrosion Resistant


IP55 Certified

HFS GROUP


Weather Resistant Gen 1
T-W390 Series



T-W390L



T-W390M



T-W390S

Stackable to suit requirements.

Colour Options

Locker Carcass



Marble

Locker Door Colour



Navy Blue | Green | Grey | Yellow | Red | Coffee


Other Code

Code	External Dimensions
T-W390L	910H×390W×500D mm
T-W390M	610H×390W×500D mm
T-W390S	460H×390W×500D mm



The sealed door

The locker door fully covered the locker carcass, which effectively enhances the resistant performance and the locker is just seamless



Water isolation slot


This waterproof lockers is specially designed with isolation slot which leads the water to fall down to the door




Water strip design


Isolating the water and leading the water to the floor. Prevent rain water from entering into the locker inside from door hinges

Schematic






Weather Resistant Gen 2
T-W450 Series



T-W450M



T-W450S

Stackable to suit requirements.

Colour Options

Locker Carcass



Marble

Locker Door Colour



Navy Blue



Green



Grey



Yellow



Red



Coffee

Other Code


Code	External Dimensions
T-W450L *	910H×450W×500D mm
T-W450M	610H×450W×500D mm
T-W450S	460H×450W×500D mm

* Coming soon

Pad Latch Set

Item No. : TL-A6

- Made from zinc alloy.
- Bright chrome finish.
- Takes up to 10mm diameter shackles for heavy duty padlocks.
- Anti-pry latch mechanism.
- Unique shaped camlock hooks over the latch plate tightening the door seal during locking.



Rubber seal

The locker top overhangs the door panel to minimise water penetration between the locker door and carcass, while the sloping design at the top of the door encourages water run-off.




The lock plate is made from polished Marine Grade 316 Stainless steel and attached with vandal resistant fixings.



The door panel features an integrated, water resistant rubber seal.







120° maximum door opening angle. The solid Piano hinge system incorporates a stainless steel hinge rod.

IP55 tested and certified against water and dust penetration, enabled by a moulded one-piece carcass.




With a subtle slope to the bottom of the door recess, water accumulation is prevented.





Perfect for school and business use, where internal space is at a premium. The weather and UV resistant HDPE locker adds an outdoor dimension to storage locations, from pools and water parks, to yards, gardens and out-buildings.



















HFS GROUP

HDPE Locker Series Comparison

HDPE Locker Series Comparison

HDPE Locker	Carcass/Door	Sloping Top	Locker Base	Shelf
 **T-H385 series HDPE locker**	 Door over-closes on the carcass providing a flush look and protection from the elements. Provision for optional seal. Partially curved door with a textured surface.	Blow Moulded. Shared Top with T-W390 Series  Top Bottom	Blow moulded base with provision for adjustable feet levelers. If floor fixing required, use the weather resistant 1st Gen base.  Top Bottom	Injection moulded. Shared Shelf with T-W390 Series  Top Bottom
 **T-H450L HDPE locker**	 Half height door option only. Can be stacked two high. Partially curved door with a textured surface. Integrated hook. Provision for optional seal.	Roto Moulded. Shared Top with T-W450 Series  Top Bottom	Roto moulded base with provision for adjustable feet levelers or floor fixing bolts.  Top Bottom	Injection moulded. Shared Shelf with T-W450 Series  Top Bottom
 **T-W390 series weather resistant locker (1st Gen)**	 Door inset into the carcass, with a dividing panel to allow various door configurations with the different height carcass options. Partially curved door with a smooth surface. Marbled finish to the carcass. Door with fixed seal.	Blow Moulded. Shared Top with T-H385 Series  Top Bottom	Roto moulded base with provision for adjustable feet levelers or floor fixing bolts. Use of a base avoids the door bottom edge hitting the ground.  Top Bottom	Injection moulded. Shared Shelf with T-H385 Series  Top Bottom
 IP55 **T-W450 series weather resistant locker (2nd Gen)**	 Quarter or third height door options only. Can be stacked 2, 3, or 4 units high. Partially curved door with a smooth surface. Marbled finish to the carcass. Sloping design to eaves and door prevents water penetrating the locker space. Door with removable seal.	Roto Moulded. Shared Top with T-W450 Series  Top Bottom	Roto moulded base with provision for adjustable feet levelers or floor fixing bolts.  Top Bottom	Injection moulded. Shared Shelf with T-H450 Series  Top Bottom


Cube Locker

- UV Resistant HDPE Material
- Impact Resistant
- Corrosion Resistant


T-I385E-42

361H×386W×420D mm





Standard combination: 6 tiers/column, 1-5 columns/group.





The window of the locker door is designed to facilitate the management of items in the locker.
It is suitable for campus, enterprise, and many other applications, as a small school bag locker or office locker, and ideal for gyms and pools
Locks can be selected according to needs to achieve security management.



T-I330E-42

361H×333W×418D mm





Standard combination: 6 tiers/column, 1-5 columns/group.




The window of the locker door is designed to facilitate the management of items in the locker.
It is suitable for campuses, enterprises, and a variety of other settings - perfect as a small school bag locker, office locker, or for use in gyn and swimming pools.
Locks can be selected according to needs to achieve security management.



T-I320S

498H×323W×450D mm





Standard combination: 4 tiers/column, 1-5 columns/group.



It is suitable for campuses, enterprises, and a variety of other settings - perfect as a small school bag locker, office locker, or for use in gym and swimming pools.
Locks can be selected according to needs to achieve security management.



ABS GENERATION 2

- Safer (protective soft door corner design)
- Easier to clean (smoother inside surface)
- More convenient for installation (door/door plate to be assembled before dispatching)
- Sleek frameless design



T-B382L

1020H×382W×500D mm





Standard combination: 2 tiers/column, 1-5 columns/group.




The integrated solution of this ABS locker is suitable for a range of different scenarios including the energetic gym or the calm office.



T-B382M

710H×382W×500D mm





Standard combination: 3 tiers/column, 1-5 columns/group.



The integrated solution of this ABS locker is suitable for a range of different scenarios including the energetic gym or the office.







T-B382S

555H×382W×500D mm





Standard combination: 4 tiers/column, 1-5 columns/group.



It can be used as a campus locker with large internal storage space, convenient for students to store school bags, textbooks, water cups, lunch boxes among other items. The lockers can be placed in the back of the classrooms, aisles, corridors, libraries, gymnasiums and other locations.



T-B382E

400H×382W×500D mm





Standard combination: 6 tiers/column, 1-5 columns/group.









T-B382XXL

1950H×382W×500D mm






Standard combination: 1 tier/column, 1-5 columns/group.




The locker has a large internal space. Perfect for hanging clothes, or use shelves to separate the space for different uses.





T-B382XL
1485H×382W×500D mm



Standard combination: 1 tier/column, 1-5 columns/group.



The single door locker is large enough to store large items and is ideal for dormitories, gyms and in aquatic centres.







Yoga mat




Backpack in different sizes

T-B382 4E
1320H×382W×500D mm









Standard combination: 1 tier/column, 1-5 columns/group.

T-B382M-42

710H×382W×420D mm





Standard combination: 3 tiers/column, 1-5 columns/group.








T-B382E-42

400H×382W×420D mm











Standard combination: 6 tiers/column, 1-5 columns/group.

T-B400F
450H×400W×470D mm





Standard combination: 5 tiers/column, 1-5 columns/group.



Combination of cleaning tool locker (model: T-H500XL) and school bag locker (model:T-B400F)








T-B330E
380H×330W×460D mm







Orderly arrangement and combination to meet the daily environment use.
The locker can be used with the tool locker to meet the functional needs of the classroom.






Standard combination: 6 tiers/column, 1-5 columns/group.

HFS GROUP

T-B355E

365H×355W×400D mm





355mm Width and 400mm Depth, suitable for small spaces.







With the cushion, a 1 tier locker combination can be used for seating.

Standard combination: 6 tiers/column, 1-5 columns/group.

T-B360F-45
450H×360W×450D mm






Standard combination: 5 tiers/column, 1-5 columns/group.

T-B360E-45
390H×360W×450D mm







Standard combination: 6 tiers/column, 1-5 columns/group.

T-B480L

1050H×480W×500D mm













Standard combination: 2 tiers/column, 1-5 columns/group.

T-B480XXL

1970H×480W×500D mm









Clothes rod
Maximum bearing capacity 30kg



PVC shelf
Maximum bearing capacity 50kg

Standard combination: 1 tier /column, 1-5 columns/group.

WHITE | GREY | LIGHT BLIUE | NAVY BLUE | APPLE GREEN | GREEN | YELLOW | ORANGE | PINK | RED | COFFEE | WOOD GRAIN

We provide over 12 colours for flexible choice; other colour can be customised.

Product/Details

Material:

- ABS (Acrylonitrile butadiene styrene) plastic
- High strength, impact resistant
- Non-toxic and durable


Technology:

- Injection
- Knocked-down design

Features:

- Long towel hanging rod
- Bigger multi-function box
- Soft corner for safety
- Sleek frameless design
- Smooth design on the inside of locker, easy to clean
- Unique hinge for easy replacement
- Back board with holes for better ventilation





Ventilation holes



Hook





Hinge structure





New multi-functional box


Assembly Guide





























Multiple Lock Options

We can supply various high quality locks to suit your need.
For more info, please visit www.amezeus.com







Master key



Assembly key

Item No. : TL-A3
Keylock

Material: Zinc alloy
Finish: Bright chrome
Key Code: 10,000
Features:
1. Master key
2. Replaceable lock barrel



Item No. : TL-A6
Lock Hasp

Material: Zinc alloy
Finish: Bright chrome

HFS GROUP





Master key

Item No. : TL-A8
Brass Combination Pad Lock

Material: Brass body and steel with chrome plated shackle
Feature:
1. Master key available for emergency opening





Master key

Item No. : TL-A1
4-Digit Combination Lock

Material: ABS
Features:
1. Keyless convenience
2. User to set own code combination
3. Private mode only
4. Master key available for emergency opening and to retrieve lost code





Coin retain box



Coin box for collecting users' charge

Item No. : TL-A13
Coin Operated Lock

Material: ABS, zinc alloy
Key code: 10,000
Features:
1. Coin return and coin retain options available.
2. Suitable for AUD 1 dollar coins.
3. Coin box could accommodate up to 80 coins.





Emergency power supply

IItem No.: TL-A16N
Digital Keypad Lock

Material: ABS Plastic
Power supply: 3 x AA alkaline batteries

Features:
1. Service life: Up to 30,000 locking cycles
2. Static power: ≤40uA
3. Dynamic power: ≤100mA
4. Use condition:
Temperature: -15℃~+60℃
Humidity: 15%~90%





Emergency power supply



Reset Pin



User key



Admin key



Main admin key

Item No.: TL-A5N
RFID Lock

Material: ABS plastic
Power supply: 3 x AA alkaline batteries
Feature:
1. System: Mifare 13.56MHz
2. Battery life: 10-12 months
3. Undervoltage alarm point: 3.3±0.2V
4. Opening mode: Induction
5. Emergency power supply available

HFS GROUP

Smart Locker Series

The storage needs in daily life are diverse. Through analysing and studying users' storage scenarios, storage habits, storage needs and other aspects, Amezeus smart lockers has proposed a variety of solutions, using lockers as a carrier and applying smart systems such as cards and passwords.

Card scanning and password smart locker can be be applied to to 2-layers, 3-layers, 4-layers, 6-layers and flexible columns combination (recommended 72 cabinets combination) ; The door has over 12 colours for flexible choice.

Two modes (card and password) can be used at the same time or switched freely for different scene requirements, which is more flexible for centralised management. Storage data can be traced back, and the security factor is improved. Unmanned management reduces labour costs and improves storage efficiency. The locker model and intelligent system can be selected and set according to the specific usage scenario, and the diversified scene requirements can be realised through different module combinations.



Smart locker - SM6
Smart Storage Cabinet



Control panel parameters

Operation mode	stand-alone mode/networking mode
Screen	HD touch screen, 7 inches, 1024 * 600 screen
Communication interface	1*LAN, 2*USB, 1*RS485, 2*serial communication
Input voltage	AC86V ~264V/47~63Hz
Support types	IC card, ID card, HID card, CPU card, etc.
Chip	Arm Cortex-A17 quad-core 1.8GHz
Card reading distance	< 50mm
IC card capacity	10,000 people
Storage module	2GB+8GB
Operating system	Android
Unpacking records	10,000 records, automatically overwritten, loop recording
Ambient temperature	-10°C ~ 55°C, humidity: 10% ~ 80%
Power supply	DC 12V / 3A 36W
Installation method	built-in cabinet installation

Operation process:

Card Swiping Mode:

a.Deposit Process:

Scan the card in the designated area ▸▸▸ The corresponding cabinet door opens ▸▸▸ Put the items in and close the cabinet door

b.Retrieving Process:

Scan the card in the designated area ▸▸▸ The corresponding cabinet door opens ▸▸▸ Take out the items and close the cabinet door

Password Mode:

a.Deposit Process:

Set the password ▸▸▸ Open the corresponding cabinet door ▸▸▸ Put the items in and close the cabinet door

b.Retrieving Process:

Enter the password ▸▸▸ The corresponding cabinet door opens ▸▸▸ Put the items in and close the cabinet door





HFS GROUP

Charging Locker

- Multiple configurations of GPO and USB outlets to choose from.
- Secure storage and convenient charging at the same time. Removes the need for a portable power bank.
- Certified socket, stable voltage and current, ensure safety.

HFS GROUP

Charging Locker

T-280S / T-280F / T-280E





T-280S
460H×280W×380D mm



T-280F
300H×280W×380D mm



T-280E
200H×280W×380D mm

Configurable to suit requirements.











Safe wire arrangement

Using high-quality wire to ensure safety of users and property; professional arrangement of wire to reduce the electrical resistance, hence to improve charging efficiency.



Rated voltage/Rated current

Customised




General switch

To control all sockets in each locker, offering fast power cutting-off in case of emergency


Storage Cabinet

Sleek modern storage cabinets with multiple applications across all vertical markets; education, industrial, commercial, gyms, aquatic centres and more.

Storage Cabinet
TPL-B900S1




Storage Cabinet
TPL-B900L1



Storage Cabinet
TPL-B900S2



Storage Cabinet
TPL-B900L2




Combination method

The product can be stacked and used in multiple layers



TPL-B900S1 Two-storey



TPL-B900S1 Three-storey



TPL-B900L1 Two-storey



Multi-model Combination

Optional Accessories



Without Vertical Partitions and shelf




Large shelf



Vertical Partition+Small shelf

Combination method

The product can be stacked and used in multiple layers



TPL-B900S2 Two-storey



TPL-B900S2 Three-storey



TPL-B900L2 Two-storey



Multi-model Combination

Optional Accessories



Without Vertical Partitions and shelf



Large shelf



Vertical Partition+Small shelf

Door
The door panels are thick, and the dotted design is beautiful and durable

Double door handle
Thickened handle frame, built-in lock hole, optional lock for double safety

Top plate
Large tabletop design, small decorated items could be placed and easy to clean

Door curtain
Smooth and thick, does not take up much space



Hinge
Thickened zinc alloy for strong safety and long service life

Base
The base fits perfectly with the ground

Channel
Track groove design makes opening and closing doors very smooth

Sliding door handles
Can be supplied with locks doubles the security



AMEZEUS

HFS GROUP

A VOTRE SERVICE DEPUIS 1995

Amezeus
Route de Taillepied 44, 1095 Lutry, Switzerland
direction@amezeus.com / amezeus.com
(+41) 21 903 57 67