

AMEZEUS

CATALOGUE 2025

CASIERS HAUTE DENSITÉ

Casiers et équipements extérieurs résistants.
Solutions pour les espaces collectifs.

Route de Taillepied 44
1095 Lutry, Suisse

direction@amezeus.com

+41 21 903 57 67
amezeus.com

Contents

01

HDPE Lockers **01**

T-H385XXL Series 02
T-H385L Series 03
T-H385M Series 04
T-H385S 05
T-H320S 06
T-H450L 07
T-H450XL 08
T-H500XL 08
Lock Options 10
Application 12

02

Weather Resistant Lockers **13**

T-W390 Series 14
T-W450 Series IP55 15
Application 16
HDPE Locker Series Comparison 17

03

Cube Lockers **18**

T-I385E-42 19
T-I330E-42 20
T-I320S 21

04

ABS Lockers **22**

T-B382L 23
T-B382M 24
T-B382S 25
T-B382E 26
T-B382XXL 27
T-B382XL 28
T-B382 4E 29
T-B382M-42 30
T-B382E-42 31
T-B400F 32
T-B330E 33
T-B355E 34
T-B360F-45 35
T-B360E-45 35
T-B480L 36
T-B480XXL 37
Colours / Details 38
Lock Options 39

05

Smart Lockers **41**

SM6 Intelligent Storage Cabinet with Card Swiping and Password Function 44

06

Charging Lockers **43**

T-280S / T-280F / T-280E 44
Application 44

07

Storage Cabinet **45**

TPL-B900S1 46
TPL-B900L1 46
TPL-B900S2 46
TPL-B900L2 46
Details 47
Application 47

08

Plastic Shed **48**


09

Portable Toilet **50**

HDPE Lockers

- UV/rust/corrosion/bacterial resistant
- Patented design
- Adjustable shelves available to purchase
- Multiple lock options
- Wide range of locker door colour choice
- Recyclable, environmentally friendly
- Washable, easy to clean
- Low maintenance
- Both indoor & outdoor usage
- Indoor warranty 20 years
- Outdoor under cover warranty 8 years

Locker Door Colours




Navy Blue



Red




Yellow




Grey



Green




Coffee




T-H385XXL Series / Size

T-H385XXL Series


1810H×385W×500D mm




T-H385XXL




T-H385XXL/2




T-H385XXL/3



T-H385XXL/4



T-H385XXL/6




T-H385XXL/8

Units could be stacked and banked to meet floor plan requirements.

T-H385L Series


910H×385W×500D mm




T-H385L



T-H385L/2



T-H385L/3



T-H385L/4

Units could be stacked and banked to meet floor plan requirements.




Locker carcass adopts integrated design and the locker compartment can be divided into 2/3/4 doors configurations using dividing panels.
Suitable for schools, mines, food factories, resorts, hotels, offices and and many other applications.
Can be stacked 2 high.



T-H385M Series

610H×385W×500D mm



T-H385M



T-H385M/2

Units could be stacked and banked to meet floor plan requirements.




Locker carcass adopts integrated design and the locker compartment can be divided into 2 doors configurations using dividing panels.
Suitable for schools, mines, food factories, resorts, hotels, offices and many other applications.
Can be stacked 2 and 3 high..



T-H385S

460H×385W×500D mm



Units could be stacked and banked to meet floor plan requirements.



Locker carcass adopts integrated design.
Suitable for schools, offices aand many other applications with limited space.
Can be stacked 2, 3 and 4 high.



T-H320S

460H×320W×460D mm



Units could be stacked and banked to meet floor plan requirements.




Locker carcass adopts integrated design.
Suitable for schools, offices and many other applications with limited space.
Can be stacked 2, 3 and 4 high.



T-H450L

910H×450W×500D mm



* The width of this product is larger than that of the T-H385 series, reaching 450mm

Units could be stacked and banked to meet floor plan requirements.





Suitable for schools, mines, food factories, resorts, hotels, offices and many other applications..
Can be stacked 2 high.



T-H450XL & T-H500XL

T-H450XL: 1340H×450W×450D mm
T-H500XL: 1230H×500W×470D mm





Units could be stacked and banked to meet floor plan requirements.



Suitable for schools, mines, food factories, resorts, hotels, offices and many other applications..



Regular combination






Irregular combination





Multiple Lock Options

We can supply various high quality locks to suit your need.









Master key



Assembly key

Item No. : TL-A3
Keylock

Material: Zinc alloy
Finish: Bright chrome
Key Code: 10,000
Features:
1. Master key available for emergency opening
2. Replaceable lock barrel



Item No. : TL-A6
Lock Hasp

Material: Zinc alloy
Finish: Bright chrome
Feature:
1. Accommodate up to 10mm padlock shackle.





Master key

Item No. : TL-A8
Brass Combination Pad Lock

Material: Brass body and steel with chrome plated shackle
Feature: Master key available for emergency opening





Master key

Item No. : TL-A1
4-Digit Combination Lock

Material: ABS
Features:
1. Keyless convenience
2. User to set own code combination
3. Private mode only
4. Master key available for emergency opening and to retrieve lost code



Item No. : TL-A21
Digital Keypad Lock

Material: Zinc alloy
Colour: Nickel
Power supply: 4x AAA alkaline batteries
Features:
1. Digital keypad electronic lock functioned by entry of a 4-digit number
2. Available in public or private modes.
3. Battery life: 12 months
4. Emergency power supply
5. Master code for emergency opening





Master key

Item No. : TL-A17
Round Combination Lock

Material: Zinc alloy housing and dials
Features:
1. Keyless convenience
2. User to set own code combination
3. Private mode only
4. Master key available to retrieve lost code





User key



Admin key



Main admin key



Master key

Item No. : TL-A14
RFID Lock

Material: ABS
Colour: white
Power supply: 2x AA alkaline batteries
Features:
1. Frequency: MIFARE 13.56MHz.
2. Input voltage: DC3V
3. Opening mode: induction
4. Use condition: temperature -15℃~65℃; humidity 5%~95%
5. Three-level management: Master, sub-master, user
6. Master key available for emergency opening





Coin retain box



Coin box for collecting users' charge

Item No. : TL-A13
Coin Operated Lock

Material: ABS, zinc alloy
Key code: 10,000
Features:
1. Coin return and coin retain options available.
2. Suitable for AUD 1 dollar coins.
3. Coin box could accommodate up to 80 coins.





Master key

Item No. : TL-A51
Push Button Keypad Lock


Material: Zinc alloy
Colour: Black
Power supply: CR2450 coin battery
Features:
1. Keypad operation: More durable and easier operation.
2. All metal housing: Durable with 10mm lock housing.
3. Master key available for emergency opening.
4. Three-level management: Master, Sub-master, User.
5. Public and Private mode: Same lock can switch between public mode and private mode freely.















Weather Resistant Locker

IP55

- Highly resistant to impact damage.
- Designed for use with custom designed anti-pry pad latch.
- Accommodates heavy duty padlocks with up to 10mm shackle diameter.
- 316 stainless steel lock plates.
- Patented design.
- Adjustable shelves available to purchase.
- Wide range of locker door colour choice.
- 100% recyclable HDPE material.
- Washable, low maintenance.
- Easy to clean.

Water & Dust Resistant


UV Resistant HDPE Material

Impact Resistant


Corrosion Resistant

IP55 Certified


Weather Resistant Gen 1
T-W390 Series



T-W390L



T-W390M



T-W390S

Stackable to suit requirements.

Colour Options

Locker Carcass



Marble


Locker Door Colour



Navy Blue | Green | Grey | Yellow | Red | Coffee

Other Code

Code	External Dimensions
T-W390L	910H×390W×500D mm
T-W390M	610H×390W×500D mm
T-W390S	460H×390W×500D mm




The sealed door

The locker door fully covered the locker carcass, which effectively enhances the resistant performance and the locker is just seamless



Water isolation slot


This waterproof lockers is specially designed with isolation slot which leads the water to fall down to the door




Water strip design

Isolating the water and leading the water to the floor. Prevent rain water from entering into the locker inside from door hinges


Schematic




M8* 70 expansion bolt could be used to attach the base to the ground (optional)



Weather Resistant Gen 2
T-W450 Series



T-W450M




T-W450S

Stackable to suit requirements.

Colour Options

Locker Carcass



Marble

Locker Door Colour



Navy Blue



Green



Grey



Yellow



Red



Coffee

Other Code


Code	External Dimensions
T-W450L *	910H×450W×500D mm
T-W450M	610H×450W×500D mm
T-W450S	460H×450W×500D mm

* Coming soon

Pad Latch Set

Item No. : TL-A6

- Made from zinc alloy.
- Bright chrome finish.
- Takes up to 10mm diameter shackles for heavy duty padlocks.
- Anti-pry latch mechanism.
- Unique shaped camlock hooks over the latch plate tightening the door seal during locking.



Rubber seal

The locker top overhangs the door panel to minimise water penetration between the locker door and carcass, while the sloping design at the top of the door encourages water run-off.




The lock plate is made from polished Marine Grade 316 Stainless steel and attached with vandal resistant fixings.



The door panel features an integrated, water resistant rubber seal.








120° maximum door opening angle. The solid Piano hinge system incorporates a stainless steel hinge rod.

IP55 tested and certified against water and dust penetration, enabled by a moulded one-piece carcass.



With a subtle slope to the bottom of the door recess, water accumulation is prevented.





























Perfect for school and business use, where internal space is at a premium. The weather and UV resistant HDPE locker adds an outdoor dimension to storage locations, from pools and water parks, to yards, gardens and out-buildings.





HDPE Locker Series Comparison

HDPE Locker Series Comparison


HDPE Locker	Carcass/Door	Sloping Top	Locker Base	Shelf
 **T-H385 series HDPE locker**	Door over-closes on the carcass providing a flush look and protection from the elements. Provision for optional seal.  Partially curved door with a textured surface. 	Blow Moulded. Shared Top with T-W390 Series  Top  Bottom	Blow moulded base with provision for adjustable feet levelers. If floor fixing required, use the weather resistant 1st Gen base.  Top  Bottom	Injection moulded. Shared Shelf with T-W390 Series  Top  Bottom
 **T-H450L HDPE locker**	Half height door option only. Can be stacked two high. Partially curved door with a textured surface.  Integrated hook. Provision for optional seal. 	Roto Moulded. Shared Top with T-W450 Series  Top  Bottom	Roto moulded base with provision for adjustable feet levelers or floor fixing bolts.  Top  Bottom	Injection moulded. Shared Shelf with T-W450 Series  Top  Bottom
 **T-W390 series weather resistant locker (1st Gen)**	Door inset into the carcass, with a dividing panel to allow various door configurations with the different height carcass options. Partially curved door with a smooth surface. Marbled finish to the carcass.  Door with fixed seal. 	Blow Moulded. Shared Top with T-H385 Series  Top  Bottom	Roto moulded base with provision for adjustable feet levelers or floor fixing bolts. Use of a base avoids the door bottom edge hitting the ground.  Top  Bottom	Injection moulded. Shared Shelf with T-H385 Series  Top  Bottom
IP55  **T-W450 series weather resistant locker (2nd Gen)**	Quarter or third height door options only. Can be stacked 2, 3, or 4 units high. Partially curved door with a smooth surface. Marbled finish to the carcass.  Sloping design to eaves and door prevents water penetrating the locker space. Door with removable seal. 	Roto Moulded. Shared Top with T-W450 Series  Top  Bottom	Roto moulded base with provision for adjustable feet levelers or floor fixing bolts.  Top  Bottom	Injection moulded. Shared Shelf with T-H450 Series  Top  Bottom


Cube Locker

- UV Resistant HDPE Material
- Impact Resistant
- Corrosion Resistant


T-I385E-42

361H×386W×420D mm





Standard combination: 6 tiers/column, 1-5 columns/group.





The window of the locker door is designed to facilitate the management of items in the locker.
It is suitable for campus, enterprise, and many other applications, as a small school bag locker or office locker, and ideal for gyms and pools.
Locks can be selected according to needs to achieve security management.



T-I330E-42

361H×333W×418D mm






Standard combination: 6 tiers/column, 1-5 columns/group.




The window of the locker door is designed to facilitate the management of items in the locker.
It is suitable for campuses, enterprises, and a variety of other settings - perfect as a small school bag locker, office locker, or for use in gyms and swimming pools.
Locks can be selected according to needs to achieve security management.



T-I320S

498H×323W×450D mm





Standard combination: 4 tiers/column, 1-5 columns/group.



It is suitable for campuses, enterprises, and a variety of other settings - perfect as a small school bag locker, office locker, or for use in gyms and swimming pools.
Locks can be selected according to needs to achieve security management.



ABS GENERATION 2


- Safer (protective soft door corner design)
- Easier to clean (smoother inside surface)
- More convenient for installation (door/door plate to be assembled before dispatching)
- Sleek frameless design



T-B382L

1020H×382W×500D mm





Standard combination: 2 tiers/column, 1-5 columns/group.



The integrated solution of this ABS locker is suitable for a range of different scenarios including the energetic gym or the calm office.



T-B382M

710H×382W×500D mm





Standard combination: 3 tiers/column, 1-5 columns/group.



The integrated solution of this ABS locker is suitable for a range of different scenarios including the energetic gym or the office.






T-B382S

555H×382W×500D mm





Standard combination: 4 tiers/column, 1-5 columns/group.



It can be used as a campus locker with large internal storage space, convenient for students to store school bags, textbooks, water cups, lunch boxes among other items. The lockers can be placed in the back of the classrooms, aisles, corridors, libraries, gymnasiums and other locations.



T-B382E

400H×382W×500D mm





Standard combination: 6 tiers/column, 1-5 columns/group.









T-B382XXL

1950H×382W×500D mm







The locker has a large internal space. Perfect for hanging clothes, or use shelves to separate the space for different uses.







Standard combination: 1 tier/column, 1-5 columns/group.

T-B382XL

1485H×382W×500D mm





Standard combination: 1 tier/column, 1-5 columns/group.



The single door locker is large enough to store large items and is ideal for dormitories, gyms and in aquatic centres.






Yoga mat





Backpack in different sizes

T-B382 4E

1320H×382W×500D mm









Standard combination: 1 tier/column, 1-5 columns/group.

T-B382M-42

710H×382W×420D mm





Standard combination: 3 tiers/column, 1-5 columns/group.







T-B382E-42

400H×382W×420D mm










Standard combination: 6 tiers/column, 1-5 columns/group.

T-B400F

450H×400W×470D mm





Standard combination: 5 tiers/column, 1-5 columns/group.



Combination of cleaning tool locker (model: T-H500XL) and school bag locker (model:T-B400F)








T-B330E

380H×330W×460D mm







Orderly arrangement and combination to meet the daily environment use.
The locker can be used with the tool locker to meet the functional needs of the classroom.





Standard combination: 6 tiers/column, 1-5 columns/group.

T-B355E

365H×355W×400D mm





355mm Width and 400mm Depth, suitable for small spaces.






With the cushion, a 1 tier locker combination can be used for seating.

Standard combination: 6 tiers/column, 1-5 columns/group.

T-B360F-45

450H×360W×450D mm






Standard combination: 5 tiers/column, 1-5 columns/group.

T-B360E-45

390H×360W×450D mm






Standard combination: 6 tiers/column, 1-5 columns/group.


T-B480L

1050H×480W×500D mm





Standard combination: 2 tiers/column, 1-5 columns/group.








T-B480XXL

1970H×480W×500D mm











Clothes rod
Maximum bearing capacity 30kg



PVC shelf
Maximum bearing capacity 50kg

Standard combination: 1 tier /column, 1-5 columns/group.



We provide over 12 colours for flexible choice; other colour can be customised.

Product/Details

Material:

- ABS (Acrylonitrile butadiene styrene) plastic
- High strength, impact resistant
- Non-toxic and durable


Technology:

- Injection
- Knocked-down design


Features:

- Long towel hanging rod
- Bigger multi-function box
- Soft corner for safety
- Sleek frameless design
- Smooth design on the inside of locker, easy to clean
- Unique hinge for easy replacement
- Back board with holes for better ventilation





Assembly Guide



Multiple Lock Options

We can supply various high quality locks to suit your need.







Master key



Assembly key

Item No. : TL-A3
Keylock

Material: Zinc alloy
Finish: Bright chrome
Key Code: 10,000
Features:
1. Master key
2. Replaceable lock barrel



Item No. : TL-A6
Lock Hasp

Material: Zinc alloy
Finish: Bright chrome





Master key

Item No. : TL-A8
Brass Combination Pad Lock

Material: Brass body and steel with chrome plated shackle
Feature:
1. Master key available for emergency opening





Master key

Item No. : TL-A1
4-Digit Combination Lock

Material: ABS
Features:
1. Keyless convenience
2. User to set own code combination
3. Private mode only
4. Master key available for emergency opening and to retrieve lost code





Coin retain box



Coin box for collecting users' charge

Item No. : TL-A13
Coin Operated Lock

Material: ABS, zinc alloy
Key code: 10,000
Features:
1. Coin return and coin retain options available.
2. Suitable for AUD 1 dollar coins.
3. Coin box could accommodate up to 80 coins.





Emergency power supply

IItem No.: TL-A16N
Digital Keypad Lock

Material: ABS Plastic
Power supply: 3 x AA alkaline batteries

Features:
1. Service life: Up to 30,000 locking cycles
2. Static power: ⩽40uA
3. Dynamic power: ⩽100mA
4. Use condition:
Temperature: -15℃~+60℃
Humidity: 15%~90%





Emergency power supply



Reset Pin



User key



Admin key



Main admin key

Item No.: TL-A5N
RFID Lock

Material: ABS plastic
Power supply: 3 x AA alkaline batteries
Feature:
1. System: Mifare 13.56MHz
2. Battery life: 10-12 months
3. Undervoltage alarm point: 3.3±0.2V
4. Opening mode: Induction
5. Emergency power supply available

Smart Locker Series

The storage needs in daily life are diverse. Through analysing and studying users' storage scenarios, storage habits, storage needs and other aspects, has proposed a variety of solutions, using lockers as a carrier and applying smart systems such as cards and passwords.

Card scanning and password smart locker can be be applied to to 2-layers, 3-layers, 4-layers, 6-layers and flexible columns combination (recommended 72 cabinets combination) ; The door has over 12 colours for flexible choice.

Two modes (card and password) can be used at the same time or switched freely for different scene requirements, which is more flexible for centralised management. Storage data can be traced back, and the security factor is improved. Unmanned management reduces labour costs and improves storage efficiency. The locker model and intelligent system can be selected and set according to the specific usage scenario, and the diversified scene requirements can be realised through different module combinations.



Smart locker - SM6

Smart Storage Cabinet



Control panel parameters

Operation mode	stand-alone mode/networking mode
Screen	HD touch screen, 7 inches, 1024 * 600 screen
Communication interface	1*LAN, 2*USB, 1*RS485, 2*serial communication
Input voltage	AC86V ~264V/47~63Hz
Support types	IC card, ID card, HID card, CPU card, etc.
Chip	Arm Cortex-A17 quad-core 1.8GHz
Card reading distance	< 50mm
IC card capacity	10,000 people
Storage module	2GB+8GB
Operating system	Android
Unpacking records	10,000 records, automatically overwritten, loop recording
Ambient temperature	-10°C ~ 55°C, humidity: 10% ~ 80%
Power supply	DC 12V / 3A 36W
Installation method	built-in cabinet installation

Operation process:

Card Swiping Mode:

a.Deposit Process:

Scan the card in the designated area → The corresponding cabinet door opens → Put the items in and close the cabinet door

b.Retrieving Process:

Scan the card in the designated area → The corresponding cabinet door opens → Take out the items and close the cabinet door

Password Mode:

a.Deposit Process:

Set the password → Open the corresponding cabinet door → Put the items in and close the cabinet door

b.Retrieving Process:

Enter the password → The corresponding cabinet door opens → Put the items in and close the cabinet door



Charging Locker

- Multiple configurations of GPO and USB outlets to choose from.
- Secure storage and convenient charging at the same time. Removes the need for a portable power bank.
- Certified socket, stable voltage and current, ensure safety.

Charging Locker

T-280S / T-280F / T-280E





T-280S

460H×280W×380D mm



T-280F

300H×280W×380D mm



T-280E

200H×280W×380D mm

Configurable to suit requirements.











Safe wire arrangement

Using high-quality wire to ensure safety of users and property; professional arrangement of wire to reduce the electrical resistance, hence to improve charging efficiency.



Rated voltage/Rated current

Customised




General switch

To control all sockets in each locker, offering fast power cutting-off in case of emergency


Storage Cabinet

Sleek modern storage cabinets with multiple applications across all vertical markets; education, industrial, commercial, gyms, aquatic centres and more.

Storage Cabinet
TPL-B900S1



Storage Cabinet
TPL-B900L1




Combination method

The product can be stacked and used in multiple layers




TPL-B900S1 Two-storey



TPL-B900S1 Three-storey



TPL-B900L1 Two-storey



Multi-model Combination

Optional Accessories



Without Vertical Partitions and shelf



Large shelf




Vertical Partition+Small shelf

Storage Cabinet
TPL-B900S2



Storage Cabinet
TPL-B900L2



Combination method

The product can be stacked and used in multiple layers



TPL-B900S2 Two-storey



TPL-B900S2 Three-storey



TPL-B900L2 Two-storey



Multi-model Combination

Optional Accessories



Without Vertical Partitions and shelf




Large shelf



Vertical Partition+Small shelf

Door

The door panels are thick, and the dotted design is beautiful and durable



Double door handle

Thickened handle frame, built-in lock hole, optional lock for double safety



Top plate

Large tabletop design, small decorated items could be placed and easy to clean



Door curtain

Smooth and thick, does not take up much space





Hinge

Thickened zinc alloy for strong safety and long service life



Base

The base fits perfectly with the ground



Channel

Track groove design makes opening and closing doors very smooth



Sliding door handles

Can be supplied with locks doubles the security















Plastic Shed

The plastic sheds can be extended easily and expanded according to the required application. Ideal for additional outdoor storage at the office, school, commercial set-up, or industrial space.

Strong pressure resistance

UV resistant

Windproof and rust resistance

Thickened plate design

Easy to disassemble

HDPE material



Plastic Shed 1 Span

Size	1 Span
Area	≈2.6㎡
Weight	≈175kg
External Dimensions	2500H×2260W×1160D mm
Internal Dimensions	2240H×2120W×1040D mm

Front single door



Front double door



Plastic Shed 2 Span

Size	2 Span
Area	≈5.1㎡
Weight	≈260kg
External Dimensions	2500H×2260W×2230D mm
Internal Dimensions	2240H×2120W×2120D mm

Side single door



Front double door



Plastic Shed 3 Span

Size	3 Span
Area	≈7.5㎡
Weight	≈340kg
External Dimensions	2500H×2260W×3310D mm
Internal Dimensions	2240H×2120W×3190D mm

Side single door



Front double door



Plastic Shed 4 Span

Size	4 Span
Area	≈9.9㎡
Weight	≈445kg
External Dimensions	2500H×2260W×4380D mm
Internal Dimensions	2240H×2120W×4270D mm

Side single door



Front double door





Portable Toilet

- Water & Dust Resistant
- UV Resistant HDPE Material
- Impact Resistant
- Corrosion Resistant

HDPE Seated Portable Toilet
TPT-H01

Size	2300H×1150W×1150D mm
Internal Height	1870mm
Seat Height	450mm
Weight	110kg / 128kg
Water Tank	160L
Waste Tank	400L





HDPE Portable Squat Toilet
TPT-H02

Size	2300H×1100W×1180D mm
Internal Height	1885mm
Weight	135kg / 150kg
Hand wash sink	50L
Flush tank	75L
Waste Tank	250L





HDPE Steel Skids Seated Portable Toilet
TPT-H03

Size	2300H×1150W×1200D mm
Internal Height	2000mm
Seat Height	450mm
Weight	140kg / 150kg
Water Tank	160L
Waste Tank	280L





HDPE Portable Toilet with Shower
TPT-H08

Size	2300H×1140W×1175D mm
Internal Height	2090mm
Seat Height	430mm
Weight	150kg





Wheelchair Accessible Toilet (Flush unit with sink)
TPT-H13

Size	2297.5H×1707W×2218.5D mm
Internal Height	2268mm
Seat Height	457mm
Weight	160kg
Water Tank	41L
Waste Tank	163L
Waste Water Tank	139L





Wheelchair Accessible Toilet (Non-flush unit without sink)
TPT-H13

Size	2297.5H×1707W×2218.5D mm
Internal Height	2268mm
Seat Height	457mm
Weight	145kg
Waste Tank	163L





Wheelchair Accessible Toilet (Recycle unit without sink) TPT-H13

Size	2297.5H×1707W×2218.5D mm
Internal Height	2268mm
Seat Height	457mm
Weight	145kg
Waste Tank	163L





HDPE Seated Toilet (Recycle) TPT-M01

Size	2300H×1000W×1050D mm
Internal Height	2128mm
Seat Height	450mm
Weight	92kg
Waste Tank	190L





HDPE Seated Flush Toilet TPT-M01

Size	2300H×1000W×1050D mm
Internal Height	2128mm
Seat Height	450mm
Weight	100kg
Water Tank	43L
Waste Tank	190L





HDPE Portable Squat Toilet TPT-M02

Size	2400H×1000W×1050D mm
Internal Height	1885mm
Weight	115kg
Hand wash sink	25L
Flush tank	47L
Waste Tank	220L





HDPE Seated Toilet (Non Flush) TPT-M01

Size	2300H×1000W×1050D mm
Internal Height	2128mm
Seat Height	450mm
Weight	92kg
Waste Tank	190L





HDPE Seated Portable Toilet TPT-L01

Size	2300H×1000W×1100D mm
Internal Height	2115mm
Seat Height	450mm
Weight	88kg
Water Tank	43L
Waste Tank	190L





HDPE Portable Shower Room (Hot & cool)

TPS-H02

Size	2300H×1140W×1175D mm
Internal Height	2090 mm
Weight	110 kg






Portable Urinal Unit

TPU-L01

Size	2300H×1100W×1100D mm
Weight	90 kg
Water Tank	480 L










HDPE Portable Hand Wash (Front & back)

TPW-L02

Size	1130H×467W×1060D mm
Weight	25kg
Water Tank	66L
Waste Tank	60L





HDPE Portable Hand Wash (Up & down)

TPW-L02

Size	1360H×467W×800D mm
Weight	25kg
Water Tank	66L
Waste Tank	60L





HDPE Portable Hand Wash With Wheels

TPW-L03


Size	1200H×870W×467D mm
Weight	35kg
Water Tank	130L
Waste Tank	130L





HDPE Portable Hand Wash
(For 1 user)
TPW-L04

Size	1339H×467W×420D mm
Weight	18kg
Water Tank	65L
Waste Tank	65L



HDPE Portable Hand Wash
(For 2 users / 1 water tank)
TPW-L04

Size	1339H×467W×520D mm
Weight	26kg
Water Tank	65L
Waste Tank	130L



HDPE Portable Hand Wash
(For 2 users / 2 water tanks)
TPW-L04

Size	1339H×467W×840D mm
Weight	36kg
Water Tank	130L
Waste Tank	130L

